



O'Leary Constructions/O'Leary Civil



**Major Civil Contractor, Late Model Earthmoving & Construction
Equipment, Huge Fleet of Toyota Utilities & Trucks**

AUCTION CATALOGUE

AUCTION SALE TO BE HELD ON THE SITE

366 BURNSIDE RD, GILBERTON QLD 4208

10:00AM AEST FRIDAY 21ST FEBRUARY 2020

UNDER INSTRUCTIONS FROM:

Morton's Solvency



IN THE MATTER OF: O'Leary Constructions Pty Ltd (In Liquidation) & O'Leary Civil Pty Ltd (In Liquidation)

INSPECTION: THURSDAY 20th FEBRUARY, 9AM - 5PM AEST & FROM 8AM DAY OF SALE

ENQUIRIES: HEYWOOD HUNT 0416 151 599 OR HHUNT@HYMANS.COM.AU

NOTES: A BUYERS PREMIUM OF 10% + GST WILL APPLY TO ALL LOTS SOLD

HAMMER PRICE IS GST EXCLUSIVE

SOME LOTS MAY BE SUBJECT TO REDEMPTION

\$100 CASH DEPOSIT REQUIRED ON REGISTRATION IF YOU DO NOT PRESENT A CREDIT CARD

ALL LOTS MUST BE REMOVED BY 4PM AEST FRIDAY 28TH FEBRUARY 2020

EVERYTHING MUST BE SOLD!

TERMS AND CONDITIONS OF SALE

- 1 The purchaser acknowledges that all sales conducted by the auctioneer are on the basis of being “GST” exclusive, and as such a GST amount of 10% (or whatever prescribed amount is in force by legislation) will be added to the bid price. Further, the purchaser acknowledges and agrees that in the absence of advice to the contrary, that all bids by the purchaser will be deemed to be exclusive of GST and that GST will be added to the bid price of all lots.
- 2 The purchaser acknowledges that all sales conducted by the auctioneer, that a buyer’s premium may be charged on the bid price.
- 3 As soon as practicable after the fall of the hammer the Purchaser shall sign the agreement (if any) for sale.
- 4 The Purchaser shall be deemed to purchase as principal unless prior to the sale –
 - a) The purchaser shall have disclosed to the Auctioneer that he will be bidding on behalf of a principal and shall supply the full name and address of his principal; and
 - b) The purchaser has given to the auctioneer a copy of written authority to bid for or on behalf of a person.
- 5 The Auctioneer and Vendor reserve the following rights which may be exercised by the Auctioneer without giving any reason therefore –
 - a) to withdraw any lots from the sale;
 - b) not to offer for sale part only of any lot described in the catalogue;
 - c) to offer two (2) or more of the lots described in the catalogue as separate lots for sale together as one (1) lot;
 - d) should such lots referred to in c) of this condition not be knocked down under the hammer to a successful bidder, to offer such lots as separate lots;
 - e) to refuse to accept a bid or bids from any person or persons which in the opinion of the Auctioneer is not in the best interest of the Vendor;
 - f) to refuse admission to/or eject from the selling place any person or persons;
 - g) to refuse to accept any bid for a lot being less than a sum nominated from time to time by the Auctioneer;
 - h) to keep secret the existence and amount of the reserve price (if any) of a lot prior to the close of bidding or withdrawal from sale of the lot;
 - i) in the event that the Purchaser shall successfully bid for more than one lot at the auction;

- j) to appropriate any moneys received from that Purchaser in satisfaction or partial satisfaction of the purchase price (and any taxes, if applicable) due in respect of any one or more of such lots to the total of partial exclusion of amounts due in respect of any other such lot or lots as the Auctioneer shall see fit;
 - k) to elect at any time to treat each contract for the sale of each such lot as interdependent with each other such contract or contracts and default under any such contract shall be treated as default under all such contracts;
 - l) to bid on behalf of any vendor, prospective Purchaser or Purchaser's with or without disclosure; and
 - m) in the event that any lot is not sold at the auction to offer to sell same thereafter by private treaty but otherwise subject to these conditions.
- 6** The Vendor or any person on his behalf reserves the right to bid at the auction in respect to any lot. The Vendor acknowledges that for any successful bids he/she shall still be liable for the payment of any relevant commissions.
- 7** Any bidder shall give his full name and residential address at the time of registering to bid or when called upon to do so by the Auctioneer and –
- a) Prior to the end of the auction or at any time thereafter specified by the Auctioneer the Purchaser shall pay to Auctioneer the full price for the lot, plus any GST, license fee or any other government charge applicable to the goods.
 - b) The Auctioneer at his discretion may require immediate payment or part payment for a lot.
 - c) The purchase price and, where applicable, any part payment thereof, and GST shall be paid in either cash, bank cheque, credit card or bank transfer
 - d) Any balance of the purchase price for a lot shall be paid to the Auctioneer no later than the expiration of the period during which the Purchaser is required by the conditions to take delivery of the lot and he shall not be entitled to require delivery until the purchase price and, where applicable, GST, license fee or government charge shall have been paid in full; and
 - e) Time shall be of the essence in relation to the interpretation and observance of these conditions.
- 8** On the fall of the hammer, the Auctioneer may require and the Purchaser shall pay a deposit in cash of twenty five percent (25%) in part payment of the purchase price for the lots purchased by the Purchaser. In default, the lot or lots so purchased may at the absolute discretion of the Auctioneer be immediately re-offered for sale and re-sold.

- 9** No error in description or deficiency in quantity shall void the sale and the Purchaser shall be bound to take the delivery of the lot without any allowance or abatement in price. Any warranties which might otherwise be implied by the Sale of Goods Act, 1923, are hereby excluded and shall not apply. The Auctioneer and the Vendor make no warranties other than those implied by Common Law or by statute the exclusion of which warranty would render this condition void or voidable or which would constitute an offence by the auctioneer or the Vendor. Intending bidders must satisfy themselves by inspection or otherwise as to the nature of the lot or lots offered for sale and must accept same with all fault, patent or latent (if any). Furthermore, no warranty shall be implied from any affirmation made at the auction or otherwise but in all cases where an express warranty is intended, the same shall only be enforceable of reduced to writing and signed by the Vendor or by the Auctioneer as agent for the Vendor.
- 10** At the absolute discretion of the auctioneer, he may accept payment by way of personal or company cheque. Should the above occur title does not pass and delivery will not occur until any cheque received in payment has been honoured and paid.
- 11** Each lot shall lie at the purchaser's risk from the fall of the hammer and neither the auctioneer nor the Vendor shall be accountable for any deficiency, damage or loss which may arise thereafter. The property in such lot shall not pass until payment in the approved manner as advertised at the auction in full of the purchase price and, where applicable, GST, license fee or government charges.
- 12** No lot shall be removed during the sale without the consent of the auctioneer, but subject to condition 10 hereof, delivery is to be taken and the lot removed by the Purchaser within one (1) full working day of the day of the auction or such other period of time as may be specified by the Auctioneer at the time of sale and, in this respect, time is of the essence. Any removal shall be at the expense and risk of the Purchaser but, in such removal, the Purchaser shall do no damage, or shall forthwith make good any damage, which may be occasioned. Any lot or part thereof which the Purchaser does not remove may thereafter be removed by the Auctioneer or by some person, firm or company engaged by the Auctioneer or the Vendor and/or stored at the place at which the auction took place or elsewhere by the Auctioneer or by some person, firm or company engaged by the Auctioneer. Such removal and/or storage shall be deemed to have been made by the Auctioneer at the request of the Purchaser and all costs incurred by the Auctioneer or the Vendor in relation thereto together with an amount of \$10.00 plus GST per lot per day (inc. weekends) penalty shall be immediately payable by the Purchaser to the Auctioneer and the Auctioneer may sue for and recover the same as liquidated damages.
- 13** In addition to the purchase price, the Purchaser shall pay to the Auctioneer a fee calculated at the rate of up to thirteen and a half per cent (13.5%) of the full purchase price excluding GST State or Federal taxes that may be applicable.

- 14 If the Purchaser shall default in the observance or performance of his obligation under these conditions or any one or more of the then any moneys which the Purchaser shall have paid to the Auctioneer shall be absolutely forfeited and, without notice to the Purchaser, such lot or lots may be re-sold either by public auction or private contract and upon such terms and conditions as either the Auctioneer or the Vendor shall deem fit at the risk and expense of the Purchaser who shall be liable for any deficiency together with all expenses of removal, commission, warehousing and other charges arising out of such default and the Auctioneer or the Vendor shall be entitled to recover same as and for liquidated damages. Without limiting the generality of the foregoing, the Auctioneer shall be entitled to recover from the purchaser -
- a) the amount of any commission upon the purchase which the Purchaser did not complete, the commission being determined by the agreement between the parties;
 - b) such sum for expenses and charges incurred by the Auctioneer in connection with or incidental to the auction and in respect of any such re-sale; and
 - c) where applicable, any GST, value added tax or any other tax relating to or arising from the sale of the property or any part thereof of the Vendor.
- 15 Furthermore, the purchaser shall take or cause to be taken all reasonable and proper steps so far as is reasonably practicable in order to ensure that, the lot or lots purchased shall be safe and without risks to health when properly used.
- 16 In these Conditions the word "Auctioneer" means Hymans Asset Management Pty Limited or any member of the Hymans Group (as determined by the originating office) except that where the context so permits it shall include the persons actually conducting the auction on behalf of Hymans Asset Management Pty Limited.
- 17 In these Terms and Conditions the word "Purchaser" refers to the registered bidder.

NOTES FOR REGISTERED BIDDERS

The following notes for registered bidders are supplementary to the above noted Terms and Conditions of Sale and are only intended to assist bidders in properly and conveniently affecting their purchases.

Special Notes -

A buyer's premium of 10% + GST will apply on all lots sold.

The hammer price of all lots is GST exclusive and as such, GST of 10% will be added to the bid price and buyer's premium. Example:

Bid Price:	\$100.00
Plus Buyer's Premium:	\$ 10.00
Sub-total:	\$110.00
Plus GST:	\$ 11.00
Invoice Total:	\$121.00

- Site Management -** The site Manager and contact details for this auction is:
Heywood Hunt 0416 151 599
- Registration -** Buyers must register prior to bidding and obtain a bidder card from the auctioneer's clerk immediately upon entry to the auction premises.
- Deposits -** A deposit of \$100.00 is required at registration. The deposit will be immediately refunded in full if no lots are purchased by the buyer.

If a buyer makes substantial purchases (to be determined by the auctioneer) a deposit of between 10% and 20% will be required prior to the conclusion of the auction.
- Payment Options -** Payment of invoices is required in either cash, bank cheque, Visa, MasterCard, Bankcard or EFTPOS only. ***Please note that a 1.12% surcharge will be applied to all credit card payments.***

Company and personal cheques will be NOT accepted unless arranged prior to the auction with the auctioneers.

Direct deposit to the auctioneer's trust account is also available. Account details are as follows:

Bank: ANZ
Account Name: Hymans Asset Management – Trust Account
BSB: 012 003
Account Number: 837 774 833
- Company Cheques -** A letter of reference must be obtained **PRIOR TO THE AUCTION** from your bank as a general reference in respect to your credit worthiness. This reference need not be in specific terms but must state that in the normal course of business you have not been known to extend your accommodation. Failing to supply this reference will lead us to insist in payment in one of the other manners mentioned above.
- Insurance -** The bidder is at risk on the fall of the hammer on each lot and is therefore strongly advised to effect insurance immediately. Neither the auctioneer nor the vendor will be held responsible for any loss or damage to any lot after the fall of the hammer and buyers should be aware of the other terms affecting the sale that may preclude them from taking delivery of their lots immediately upon the fall of the hammer.
- Transfer of Title -** Title shall only pass at such time that accounts are fully paid.

Collection of Lots - Full payment must be made before any goods will be released.

Removal of goods will occur at the following times:

From the conclusion of the auction sale to 4:00pm

Monday 24th February 9:00am to 4:00pm AEST

Tuesday 25th February 9:00am to 4:00pm AEST

Wednesday 26th February 9:00am to 4:00pm AEST

Thursday 27th February 9:00am to 4:00pm AEST

Friday 28th February 9:00am to 4:00pm AEST

Equipment that requires disconnection from water, electricity, gas or other such services is at the expense of the purchaser and disconnection work must be carried out by a **GOLD LICENCE** trade person. The licence must be presented prior to the commencement of works. Disconnection must be completed carefully and left in a neat manner.

All removal work will be inspected to ensure it complies with the above. If we are not satisfied with the removal work we reserve the right to request further work be carried out or undertake rectification work ourselves which will be charged to the Purchaser.

Please note there will be no forklift or other materials handling equipment available for use.

Payment will only be accepted from and delivery given to the Purchaser of the lots at the auction sale. Any transfer of lots between buyers can only occur after the lots have been removed from the site by the Purchaser at the auction sale.

Absentee Bids - Absentee bids may be left with the auctioneer's clerk by way of the Absentee's Bidding Form which is attached herein or can be obtained from the auctioneer's clerk.

First Right of Refusal - During the sale, we may offer the highest bidder "first right of refusal" over similar lots. For example, if there are ten identical units, the highest bidder on the first unit may choose to take one or all ten at the initial hammer price. Live simulcast bidders – watch the chat box to find out more. If the highest bidder chooses to take multiple lots, they will be sold to the highest bidder and will not be offered individually.

Mixed Lots - Any buyer who purchases a mixed lot, a scrap lot, an "allowance for items", or "contents", is responsible for the removal of all items within the scope of that lot. Any remaining items left onsite will be disposed of at the expense of the buyer.

RISK KEY CODE

Purchasers are required to carefully assess all possible risks associated with the operation of the asset in line with but not limited to, the following schedule of identifiable hazards:

Risk Code Hazard Advice / Action Required

- 0 No Apparent Hazards**
- Should only be used as per manufacturers specifications
- 1 Manuals & Service History**
- There are no manuals or instructions available
 - There is no service history or maintenance records
- 2 Electrical Items**
- Requires testing prior to use
 - All leads and adaptors should be tested by an accredited tester or electrician for faults and tagged in accordance with AS/NZS 3760 and AS/NZS 3000
 - Power must be isolated during cleaning or servicing
 - Must only be used with an earth leakage circuit breaker
- 3 Safety Apparel**
- Ear protection must be worn during operation; and/or
 - Face protection must be worn during operation; and/or
 - Eye protection must be worn during operation; and/or
 - Hand protection must be worn during operation; and/or
 - Foot protection must be worn during operation; and/or
- 4 Clothing**
- Appropriate clothing must be worn by the operator
 - Loose fitting clothing must not be worn
- 5 Safety Guards**
- Safety guards are fitted which must not be removed as detailed in AS 4024

Risk Code Hazard Advice / Action Required

6 Safety Guards

- Safety guards are missing
- Should not be operated until safety guards which meet with the manufacturers standards are fitted

7 Manual Handling

- Care must be taken when lifting heavy items
- Item containing glass or other fragile components must be carefully transported
- Be careful when removing items attached to walls in case they fall
- Secure all moving and removable parts prior to transporting items

8 Damaged Items

- Item is damaged as will be offered for sale as scrap only

9 Noise

- Must have the sound pressure level tested prior to commissioning and if over 85db(A) or if the impact noise is greater than 140db(A), then signage warning the users to wear hearing protection must be attached

10 Fire Fighting Equipment

- An accredited contractor must inspect and allocate a date tag in accordance with AS 1851-2005 Sect. 15 & 16 (6 monthly) and assess to AS 4655 (annually)
- Fire extinguishers - Clearly visible signs of both the fire extinguisher icon and fire extinguisher type must be installed above the fire extinguisher in accordance with AS 2444
- All fire extinguishers must be mounted not less than 100mm from the ground and not higher than 1200mm for the floor as detailed in AS 2444
- Once installed, all fire extinguishers should made easily accessible and cleared of any obstacles
- Staff must be trained to use fire protection equipment in accordance with AS3745 and OH & S Chapter 4

11 Paper Shredders

- The operator must not place hands close to shredding blades

Risk Code Hazard Advice / Action Required

12 First Aid and Safety Equipment

- All contents to first aid kits / boxes / cabinets must be carefully checked and any expired stock must be disposed
- Once installed, a clearly visible sign of the first aid icon (green cross) must be installed above the first aid station
- All safety apparatus should be tested for relevant compliance prior to use or installation.

13 Decommission & Removal

- Requires a licensed tradesman or technician for decommissioning and re-installation

14 Calibrated Equipment

- Must be re-calibrated by a certified contractor prior to use

15 Contaminates

- Must be carefully checked and cleaned of contaminates from prior use

16 Equipment Under Pressure

- Must be certified by an accredited contractor in accordance with AS/NZS 3788 (bi-annually) and once relocated and installed, a certificate of currency must be displayed nearby

17 Forklifts & Attachments

- Where applicable, the operator must have a certificate of competency as per WorkCover regulations
- If ride-on, must be fitted with roll over protection
- If to be used on roads or public traffic areas, must be registered (NSW Conditional)
- Only attachments designed to be used with this model of forklift should be used
- The advised safe working load of all lifting attachments must not be exceeded

18 Pneumatic Tools

- Must be carefully inspected prior to deployment

Risk Code Hazard Advice / Action Required

19 Lifting Equipment

- Must be used only in line with manufacturers specifications
- The advised safe working loads must not be exceeded

20 Hydraulic Tools

- Must be carefully inspected prior to deployment

21 Gas Cylinders

- Must be adequately secured - by chain and/or with warning signage
- Must have a valid date stamp
- Must not be transported in an enclosed vehicle

22 Explosives

- Fastening charges must only be used as detailed in the Dangerous Goods Act 1975

23 Equipment Used at Heights

- Must be only be used in accordance with the manufacturers specifications

24 Dangerous Goods

- If classified as such under the NSW Dangerous Goods Act, Australian Dangerous Goods Code must be stored in accordance with that Act and Code

25 Ventilation & Extraction

- Adequate equipment must be used with this item
- This item must only be used in an area with adequate ventilation

26 Registration

- All mobile plant if to be used on roads or public traffic areas, must be appropriately registered
- All mobile plant must be roadworthy in addition to the above i.e. all warning lights and signals must be working

Risk Code Hazard Advice / Action Required

27 Professional Competency

- Must only be utilized by a skilled operator

28 Machinery Space

- Plant must have adequate work space surrounding it when commissioned to allow for loading and unloading of work pieces and materials and the safe working space for operators

29 Conveyors

- Must comply with AS 1755 regarding design, construction, installation and operations

30 Pipelines & Ducts

- Signs indicating the contents of pipelines must be installed in accordance with AS 1345

31 Licensing

- Only appropriately licensed personnel must operate

LOT	QTY	DESCRIPTION	RISK CODE
1	1	Shipping Container/ Site Storage Box Including Shelving - Royal Wolf, RWTU1229424 15G1, Modified 10' Shipping Container with Internal Light, DOM: 11/2012 Shelving to Container: 1 x 2 Bay, 9 Shelves, Maximum Load to Shelf: 400Kg, 3000mm Width x 2135mm Height x 330mm Depth 1 x 2 Bay, 8 Shelves, Maximum Load to Shelf: 400Kg, 3000mm Width x 2135mm Height x 330mm Depth 1 x 1 Bay, 7 Shelves, Maximum Load to Shelf: 400Kg, 1300mm Width x 2135mm Height x 330mm Depth	2, 7, 13, 25, 30
2	1	Scheduled Oil Sampling Kit - Caterpillar, S0S1 700	2, 7, 15
3	2	Boxes of Oil Sampling Kits - Komatsu, Condition Monitoring Services	2, 7, 15
4	1	Brake Adjustor - To Suit Western Star Trucks	7, 14
5	1	Tub of Yellow Wheel Nut Covers - Mine Spec	7
6	1	Trimble Ready Kit for Caterpillar D10 - Comprising: 1 x Box of Mixed Parts and Brackets to Trimble P/N: P0003958 1 x Box of Cables to Connect to Trimble Connected Site Gateway M/N: SNM941-50, Trimble P/N: 104950-80 1 x Box of Wiring to Suit Trimble Kit, P/N: 78003-07 1 x Box of Cables to Suit Trimble Console Control 1 x Box of Cables to Connect to Trimble AS450 GPS Machine Control Angle Sensor, P/N: 7970-08, S/N: 3285J029SS 3 x Box of Cables to Suit Trimble Kit; 5 x GPS Machine Control Angle Sensors, AS540; 3 x Trimble Stands; 1 x Support Stand for Trimble Box of Cables to Suit Trimble 5 x GPS Machine Control Angle Sensor, AS450	2, 7, 14
7	4	Spill Kit - SpillFix International, Hazchem Transport Spill Kit	7, 15
8	1	Office Desk and White Board - Melamine, 3 Drawers, 1200mm Width x 600mm Depth x 800mm Height	7, 13
9	1	Shelving - 5 Shelves, 900mm Width x 400mm Depth x 1800mm Height	7, 13
10	3	Spill Kit - SpillFix International, General Purpose	7, 15
11	1	Office Cupboard - Steel Frame, 2 Shelves, 2 Sliding Doors, 1000mm Width x 600mm Depth x 1400mm Height	7
12	1	Mixed Lot - Comprising: 1 x Shovel, 8 x Spades	7
13	1	Contents to Shelving - Comprising: Chain Dog Ratchet Tie Downs, Boxes of Nuts, Tie Down Straps, Mixed Fire Extinguishers	7, 12
14	1	Shelving - 1 Bay, 3 Shelves, 2150mm Width x 650mm Depth x 1830mm Height	7
15	1	Air Filter - Donaldson, P/N: P127308	7
16	1	Box of Mixed Fuel/ Flow Filters/ Oil Filters to Suit Hitachi	7, 15
17	1	Service Kit - Preventative Maintenance to Suit Caterpillar	7
18	2	Car Stands - Manual, Approx. 5t Capacity	7, 19
19	2	Wear Parts - 2130mm Length x 110mm Width	7

LOT	QTY	DESCRIPTION	RISK CODE
20	1	Pallet of Mixed Cutting Teeth - ITR/TVC, Comprising: 12 x P/N: J3352TVC to Suit Komatsu PC 228 6 x P/N: 1U3453WTLU 1 x P/N: 713402WTLU 2 x TVC Cutting Teeth 1 x ITR Cutting Teeth	7
21	11	Wear Parts - Tillys, P/N: 457928	7
22	3	Boxes of Mixed Bolts to Suit Cutting Teeth Wear Plates - ITR	7
23	1	Mixed Wear Parts - Comprising: 26 x Wear Brackets to Suit Caterpillar 813B ITR P/N: 106-2048	7
24	1	Pallet of Mixed Cutting Teeth - Comprising: 5 x ITR P/N: 7T34020 3 x Mixed Cutting Teeth	7
25	1	Tubs of Mixed Pins & Bushes to Suit Cutting Teeth	7
26	4	Cutting Teeth to Suit Hitachi ZX670 - Hitachi, P/N: 616602RC	7
27	10	Cutting Teeth - Caterpillar/ITR	7
28	1	Contents to Pallet Racking Middle Shelf - Comprising: Mixed Cutting Teeth and Wear Parts to Suit Excavator ITC P/N: 948458 x 1, 1336459 x 1, 1386450 x 1 6 x US458C 2 x 450W Wear Plates 1 x 950W Wear Plate	7
29	1	Contents to Pallet Racking Top Shelf - Chubb, 3 x Pre-Engineered Foam Spray Cylinders and Brackets, DOM: 09/2014	7, 15
30	1	Pallet Racking - Modular Storage Systems, 1 Bay, 6 Crossbeams Shelves, 2750mm Width x 600mm Depth x 2400mm Height	7, 13
31	4	Fusion - Coupler, Black Manual, Diameter: 630mm, DOM 05/2017	7
32	1	Parts to Shelving - Comprising of Mixed Bolts/Washers and Nuts and Mixed Hoses of Various Lengths Plus 1 x 1500mm Width Wear Plate, 1 x 2250mm Width Wear Plate	7
33	1	Sprayer - Buy Right, 15L Backpack Sprayer	7, 15
34	1	Shelving - Steel and Timber Fabrication, 1 Bay, 4 Shelves, 2600mm Width x 600mm Depth x 2000mm Height	7, 13
35	1	Contents to Shelving - Comprising: Mixed Caterpillar and Komatsu Filter Elements/ Fuel/Water, P/Ns: 3 x 326-1642, 3 x IR-0749, 1 x 142-1409, 1 x IR-0719 1 x Air Filter to Suit Caterpillar 329 3 x 132-8875, 1 x 7X-6041, 1 x 326-1644 1 x Air Filter to Suit Volvo E1300 1 x Komatsu Air Filter, 1 x 600-185-6210 2 x Air Filters to Suit Caterpillar 330 1 x GM Hose Bulk - Caterpillar, 1 x 371-8115, 1 x 339-1048, 1 x 326-4689, 1 x 327-6618 5 x Air Filters to Suit Caterpillar D10 1 x Air Filter to Suit Caterpillar D10R, 3 x 7T-1890, 1 x 31-8670 Assortment of Air Filters P/Ns: 1 x 423-1361, 1 x 479-4131, 1 x 61-2504, 2 x 360-8958, 2 x 368-3976, 2 x 322-3154, 1 x 386-2097 8 x Komatsu Air Filters to Suit PC350 3 x Komatsu Elements 17M-911-3530 3 x Komatsu Filter Elements 207-60-71183	7
36	1	Stock Shelving - Steel, 5 Shelves, 2100mm x 600mm x 1600mm	7, 13

LOT	QTY	DESCRIPTION	RISK CODE
37	1	Contents to Shelving - Comprising: Assorted Filter Elements, Air, Hydraulic Filters to Suit Caterpillar P/Ns: 2 x 231-167, 1 x 123-6855, 12 x 1R-0749, 1 x 327-6618, 1 x 1R-0750, 1 x 126-1813 4 x Caterpillar D6 Air Filters, 3 x P/Ns: 45-6504 1 x Air Filter to Suit Caterpillar 329 1 x Air Filter P/N: GS7-2836 5 x Air Filters to Suit Caterpillar 330F/329/336 5 x Mixed Sakura Air Filters 1 x Box of Caterpillar D6 Engine Oil/Fuel/Water Filters Mixed Filters P/Ns: 1 x 307-6618, 1 x 61-2503, 1 x 363-9402, 1 x 322-3155 2 x Caterpillar Fan Belts 1 x Box of Assorted Sakura Fuel/Water Filters	7, 13, 18, 20
38	1	Fan - Wall Mounted, 560mm Diameter	2, 7, 13
39	1	Parts Shelving - Steel, 10 Shelves, 1000mm Width x 600mm Depth x 1800mm Height	7, 13
40	1	Contents to Shelving - Blue PVC Parts Containers and Assorted Bolts	7
41	1	Black Steel Bench & Bench Grinder - Abbott & Ashby, 150mm, 240V, Double Ended, Bench Mounted	2, 7, 13
42	1	Bench and Engineers Vice - Dawn, I50, Black Steel Bench with Shaow Board, 2 Shelves, 2100mm x 600mm x 1000mm, Small First Aid Kit	7, 12
43	1	Assortment of Wheel Chocks to Wall	7
44	2	Engine Stand - Steel, In House Fabricated	7, 19
45	1	Heavy Duty Stand - Steel, In House Fabricated, 200mm x 800mm x 500mm	7, 19
46	3	Safety Steps - Plastic	7, 12
47	1	Transmission Jack - TTI, 500Kg Capacity, Mobile, S/N: TTIJTR5002	7, 19
48	1	Parts Washer - Kinchrome, K113081, P/N: 000466, 230V, 40 Gallon Capacity	7, 13, 15
49	1	Shelving and Contents to Shelving - 5 Shelves, Steel/Timber Fabrication, 800mm Width x 400mm Depth x 1800mm Height Contents Comprising: 2 x Boxes of RDA Beacons, 5 x Revolver Mini Beacons, 2 x Filters, Tools, Performance Plus Polisher, Hand Saw	2, 7, 13
50	1	Vehicle Hoist - Forward Lift, I10E100BBL, Forward Lift, 2 Post, Capacity: 10,000lbs	2, 7, 13, 19, 20, 23
51	1	Workshop Pedestal Fan - Kool, 700mm Dia	2, 7
52	1	Vacuum Cleaner - Vacmaster, 1400W, 30Ltr Capacity, Unknown Working Condition	2, 7
53	1	Bookcase - Melamine, 4 Shelves, 810mm Width x 400mm Depth x 1800mm Height	7
54	1	Refrigerator - LG, GR-292SQ, 2 Door, 292Ltr Capacity	2, 7
55	1	Oil Reclaim Hydraulic Dry Driver - Mobile Approx. 70Ltr Reclaim Vessel	2, 7, 13, 15
56	1	Work Table - Chequer Plate Steel, 1200mm Width x 900mm Depth x 900mm Height	7
57	13	Grease Gun - Manual	7
58	1	First Aid Kits - Comprising: 3 x Saint Johns Industrial First Aid Kit and 2 x Small First Aid Kits	7, 12, 13

LOT	QTY	DESCRIPTION	RISK CODE
59	1	Work Bench - Steel, 2900mm Width x 600mm Depth x 900mm Height	7
60	16	Vehicle Tracking Modules - The Fleet Office, 14 x Plant or Equipment Trackers, 1 x Universal Tracker	2, 7, 14
61	1	Shelf and Contents to Shelves - Steel with Timber Shelf Inserts, 5 Shelves, 800mm Width x 400mm Depth x 1800mm Height, Contents Comprising: Mixed Size Grinding Wheels, AEG Corded Drill, SBE630R, DOM: 2013, 1 x Box of Cutting and Welding Equipment, 1 x Sash Clamp, 120mm x 800mm	7, 13
62	2	Welding Screen - Elliotts, On Castors, 2600mm Width x 1900mm Height	7
63	1	Whiteboard - 1900mm Width x 1200mm Height, Wall Mounted	7, 13
64	1	Welding Work Bench - Fabricated Steel, 2050mm Width x 1350mm Depth x 950mm Height	7
65	1	Stock Rack - 3 Tier, In House Fabricated Steel, 2140mm Width x 630mm Depth x 1700mm Height, Double Sided	7, 13
66	2	Work Horses - Timber	7
67	1	Allowance for Scrap Steel to Wall - Comprising Plate Offcuts, Bar Offcuts, Mesh Steel Offcuts	7
68	1	Compressor - Air Mac, 3 Cylinder Pump, Powered by Honda GX270 Petrol Engine, Fushen Receiver Tank	2, 5, 7, 9, 13, 16, 18, 30
69	1	Hydraulic Shop Press - Renegade Industrial, 50 Tonne Capacity	2, 5, 7, 13, 20
70	1	Crate of Lifting Chains - Various Sized	7, 19
71	1	Pallet Racking - Uni Rack, 5 Bay, 1000Kg Load/Shelf Capacity, Comprising: 6 x Braced End Panels, 2440mm Height 21 x Lateral Supports, 2800mm Length	7, 13
72	1	Contents to Bay 1, Allowance to Pallet - Comprising: Constructor Safe Temporary Fence Stands & Supports, Esky Containing Galvanised Self Tapping Screws	7
73	1	Contents To Bay 1, Shelf 2 - Comprising: Bag Of Crimps, Crimping Tool, Cable Roll On Stand, Roll Of Barbed Wire, Ramset Chemset Universal Applicator, 2 x Safety Steps	7, 12
74	1	Contents to Bay 2, Allowance to Pallet - Comprising: Box Mixed Pipe Fittings, Rotex Double Acting Pneumatic Actuator ECF50 CL, Coleman Event 12 Person Shelter	7, 18
75	1	Contents to Pallet - Comprising of Mixed Caterpillar Parts	7
76	1	Contents to Bay 2, Shelf 2 - Comprising: Mixed Nuts and Bolts, 2 x Caterpillar Xenon Lights, Small Trafalgar First Aid Kit, Roto-Sure Precision Measuring Wheel, Mixed Undercarriage Pins, Blount Pipe Holder	2, 7
77	1	Contents to Bay 2, Top Shelf - Comprising: Mixed Measuring Sticks, PVC Pipes, Flexible Shaft Concrete, Vibrator, Flexible Shaft Extension, 6000mm L	7
78	1	Contents to Bay 3 - Pallet of Mixed Mesh Guards	7
79	1	Contents to Bay 3, Shelf 2 - Mixed Caterpillar Parts, Twin Halogen Work Light on Stand, Green Misting Hose, Sundry Items	2, 7
80	1	Electrofusion Control - Fusion, Qbox Fusomatic, Class P23US1FKADX, 3 Phase	2, 7, 14
80A	2	Fusion Plast Backing Rings - Stainless Steel, 560mm Table D AS4087 SS316 PN16, Fusion Plast BRD630 PN1655 630 Table D AS4087	7
81	1	Contents to Bay 4, Shelf 2 - Comprising: 2 x Saw Horses, Mixed Hand Saws, Hammers, Nails, 10L Jackaroo Cooler, Mixers, Rollers, Quick Grips, Stanley Level, Mixed Nuts and Bolts, 5L Drink Container, 2 x Right Angles	2, 7

LOT	QTY	DESCRIPTION	RISK CODE
82	1	Contents to Bay 5, Ground Level - Comprising: Trowels, Levels, Master Finish Fresno Trowel, Shovels, Mechanics Stool On Castors	7
83	3	Contents to Bay 5, Shelf 2 - Concreters Screeds to Wall	7
84	1	Contents to Bay 5, Shelf 2 - Mixed Cutting Discs to Wall	7
85	1	Contents to Bay 5, Shelf 2 - Milwaukee, Bosch, Makita, Mixed Tools Comprising: 1 x Makita M965 1 x Milwaukee HDE13RQX 1 x Milwaukee AGN-125 1 x Milwaukee AG16-180C 1 x Makita Hr2230 1 x Bosch Hammer Drill	2, 7
85A	1	Impact Driver - Milwaukee, M18FRIW212, (Bay 5, Shelf 2)	2, 7
85B	1	Impact Driver - Milwaukee, M18CHIWF34, (Bay 5, Shelf 2)	2, 7
85C	1	Cordless Drill - Milwaukee, M18 FPD, (Bay 5, Shelf 2)	2, 7
85D	1	Driver - Milwaukee, M18 FID, (Bay 5, Shelf 2)	2, 7
86	1	Circular Saw - Makita, 5900B, 235mm Diameter	2, 7
87	1	Circular Saw - Makita, 5900B, 235mm Diameter	2, 7
88	1	Concrete Saw - Husqvarna, K760, 355mm, Petrol	5, 7
89	1	Chain Saw - Stihl, MS 180, 16 Inch Bar, Petrol	5, 7
90	1	Submersible Pump - 50mm, 240V	2, 7
91	1	Submersible Pump - Ozito, PSCS-550, 25mm Diameter	2, 7
92	1	Contents to Bay 5, End - Comprising: Brooms, Gorilla Industrial Platform Ladder (Max Load 150Kg), Fibreglass Platform Ladder, 3 Step Ladder, Trojan Level, Crow Bar, 2 x Tray Sides, 4 x Ratchets	7, 19
93	1	Pallet Rack - 2 Bay, Comprising: 3 x Braced End Sections, 3700mm Height, 12 x Lateral Supports 2600mm Length, 1000Kg Load/Shelf Capacity	7, 19
94	1	Contents to Shelf 2 - Comprising: Lubricants, Beacons, Hoses and Minor Items to Rack, Vacuum Cleaner, Shopvac Pro P11-SQ145	7
95	1	Contents to Shelf 3 - Comprising: Mixed Hydraulic Hoses, Replacement Welding Screens	7
96	1	Contents to Shelf 2 - Comprising: Toolboxes: 400mm Width x 200mm Depth x 275mm Height and Mesh Cargo Netting	7
97	1	Contents to Shelf 3 - Comprising: Cosmos 200L Cooler, Esky Classic Downunder 75L Cooler, Grease Gun, Mud Flaps, Wheel Guard	7
98	1	Bund Stand - Steel Fabricated, 4050mm x 1250mm x 750mm Depth, Fabricated Steel Steps	7, 15
99	1	Contents to Bund Stand - Comprising: IBC Partially Filled Hydraulic 68 Oil, IBC Partially Filled Waste Oil, Mixed Containers of Oil	7, 15
100	1	Mixed Lot - Comprising: 1 x Aust Lift Vertical Drum Lifter 500Kg 1 x Manual Hand Pump 1 x Tilting Drum Stand	2, 7, 19
101	8	Allowance for Drums of Mixed Oil and Coolant, Unknown Condition (Note: One Drum With Manual Hand Pump Installed)	7, 15

LOT	QTY	DESCRIPTION	RISK CODE
102	1	Allowance for Contents to the Top of Container - Comprising: Mixed Lengths of Ag Pipe, Mixed Lengths Of Hosing	7
103	1	Flammables Storage Container - Steel Fabricated, 2400mm x 1900mm x 2200mm Height, Part Bunded	7, 12, 15
104	1	Allowance for Contents to Flammable Storage Container - Comprising: Lubricants, Drum Pumps, Jerry Cans and Minor Items	7, 15
105	1	Allowance for Furniture and Minor Items - Comprising: Office Desk 3 Drawers, Bookcase 5 Shelves, Parts, Books, Black Leather Chair on Castors, Small First Aid Kit	7
106	1	Allowance for Contents to Shelving to Wall - Mixed 2-Way Radios, Unknown Charger, Drill Bit Sharpener	2, 7
107	1	Allowance for Contents to Shelving to Wall - Comprising: Mixed Air Filters, Mixed Hydraulic Filters, Head Gasket, Wiper Blades (Unknown Condition), Box Oil Sample Kit, Roll of Twine	7
108	1	Allowance for Plastic Totes to Wall - Comprising: Mixed Parts, Side Marker Lights, Gaskets, Hitachi Belt	2, 7
109	1	Shelf to Rear Wall and Contents - Comprising: Mixed Bolts, Radiator Stop Leak	7
110	1	Work Bench - Steel Fabricated, 2930mm x 600mm, 2 Tier	7
111	1	Allowance for Contents to Bench - Comprising: Various Filters, Unknown Condition	7
112	1	Work Bench - Steel Fabricated, 1500mm x 1220mm, 2 Tier	7
113	1	Allowance for Spares and Fittings Stored Under Bench - Comprising: Spare Parts For Husqvarna K760 Minor Items	7
114	1	Workshop Trolley - Steel Fabricated, 1010mm x 515mm, 3 Tier, Including Contents	7
115	1	Allowance for Pallets of Mixed Breezeway Blocks - Approx Qty of 100	7
116	15	Allowance for Angled Rebar	7
117	4	Allowance for Oil Drums Unknown Contents	7, 15
118	3	Allowance for Non-Structural Formwork Boards	7
119	1	Allowance for 2 x Stillages of Mixed Size Formwork Parts (Brackets, Supports, etc.), Mixed Lengths Formwork Braces, Mixed Formwork Bars	7
120	1	Allowance for Unknown Quantity Mixed Pit Wall Steel Channelling (Unknown Condition.) 3000mm x 1000mm, Single Channel, Double Channel, Triple Cannel, V Channel, U Channel; Mixed Pit Work Covers, 3599, 2200mm, 2500mm Support Bars; Trench Wall Support Plates, 2200mm L x 1200W, 200mm x 20mm, 20mm x 3100mm x 1200mm	7
121	16	Allowance for Steel Fabricated Pit Covers - Square and Circular	7
122	28	Allowance for Pit Suring Columns - 2000mm L	7
123	1	Galvanised Storm Water Drain Cover	7
124	1	Allowance for Mixed Pipe Resin Piping and Couplers, Comprising: 9 x Pipes, Approx. 2050mm x 250mm 1 x Pipe, Approx. 2000mm x 400mm 1 x Pipe, 1600mm x 200mm 4 x Pipes, 2200mm x 600mm 1 x Pipe, Approx. 2200mm x 600 T Junction 1 x Elbow Pipe, Approx. 1800mmx 600mm 90 degree 1 x Pipe, Approx. 3100mmx 560mm Approx. 20 Couplings of Mixed Sizes	7

LOT	QTY	DESCRIPTION	RISK CODE
125	1	Allowance for Mixed Cement Pipe - Various Sizes	7
126	1	Allowance for 2 x Metal Pipe - Approx. 10000mm x 400mm	7
127	1	Allowance for Mixed Composite Piping - Joiners, T Junctions, Elbows	7
128	1	Pallet of Mixed Fencing	7
129	8	Allowance for Bunded IBC - Unknown Contents	7, 15
130	2	Allowance for Concrete Blocks - 900mm x 900mm x 900mm	7
131	1	Allowance for 2 x Mixed Concrete Culverts	7
132	1	Pallet of Temporary Fence Supports	7
133	1	Flexible Shaft Drive - Flextech, 50mm Shaft Drive Capacity	7
133A	1	Flextool - Flextech, 50mm Shaft Drive Capacity	7
133B	1	Flextool - Flextech, 50mm Shaft Drive Capacity	7
134	1	Flexible Shaft Drive - Flextech, 50mm Shaft Drive Capacity	7
135	1	Flexible Shaft Drive - Flextech, 50mm Shaft Drive Capacity	7
136	1	Flexible Shaft Drive - Flextech, 50mm Shaft Drive Capacity	7
137	1	Flexible Shaft Drive Unit - Wacker Neuson, 50mm Shaft Drive Capacity, Honda GX160 Motor Drive	7
138	1	Portable Generator - Genlite, 4.8KVA with Honda GX270 Motor Drive	1, 2, 5, 7, 9, 14, 25, 28
139	1	Water Bottle Stillage with 14 Bottles of Water	7
140	1	Allowance for Metal Jig Frame - Comprising: Trolley Jack, Roll of Wire Cable, 2 x Signalloy Boards	7
141	1	Steel Cupboard - 2 Sliding Doors, 2 Shelves and Minor Items	7
142	1	Steel Cupboard - 2 Door, 2 Shelves and Contents	7
143	1	Rack and Contents - Timber, 3 Tier	7
144	3	Flexible Shaft Pump Head - 50mm Diameter x 6000mm Shaft	7
145	1	Pallet of Mixed Hosing	7
146	1	Allowance for Contents to Rack - Comprising PVC Pipe Fittings (Various), Hoses, Tool Box and Contents and Minor Items	7
147	1	Pallet of Bucket Attachments - Various Ground Engaging Tools	7
148	1	Pallet of Various Car Parts to Suit Ford F250	7
149	1	Allowance for Box of Baffle Balls - P/N RAPBB350, Approx. 50, DOM: 11/2013	7

LOT	QTY	DESCRIPTION	RISK CODE
150	1	Pallet Rack - 2 Bay, Comprising: 3 x Braced End Sections, 3700mm Height 12 x Lateral Supports 2600mm Length 1000Kg Load/Shelf Capacity	7, 13, 19
151	1	Motor Vehicle Roof Tray - Rhino Rack, 1500mm x 1350mm and Gutter Channel	7
152	1	Shipping Container/ Site Storage Box - White Steel, 2400mm x 1900mm x 2200mm	2, 7, 13, 25
153	1	Allowance for Contents to Shipping Container - Comprising: Line Marking Paints, Ear Plugs, Safety Glasses, Hi-Vis Trousers, Minor PPE, Monogrammed Uniforms	7, 12
154	1	Pallet of Assorted Toolboxes	7
155	1	Allowance for Quantity of Slings, Chains, Joiners Stored on Rack	7, 23
156	1	Arc Welder - Peerless, Rated at 110 AMP, 240V, (Unknown Working Condition)	2, 3, 7
157	1	Star Picket Rammer/Driver - Honda GX 35, 4 Stroke Petrol Engine, (Unknown Working Condition)	2, 3, 5, 7
158	1	Stillage of Pipe Fittings - Comprising: 1 x 235mm Diameter, 90 Degree 1 x 235mm "T" Join 1 x 225-150mm Diameter Reducers 2 x 400mm Diameter Puddle Flange Spigot PE100 1 x Fusion Type 160 Low Pressure Coupler 1 x Fusmatic 1800mm SDR11 Coupler 8 x Fusion 250mm Coupler PE100 1 x Plasson Light fit D250 Coupler PE100 1 x Fusion 250mm EF Coupler SDR17 1 x Daemco DN150 PN16 Joiner 158-182 5 x 250mm Puddle Flange Spigots 1 x 150mm Puddle Flange Spigot	2, 7
159	1	Quantity of Star Pickets - 176 x Pickets, 1650mm Length	7
160	1	Pallet of Jay Bro Barrier Mesh - 50m x 900mm x 15 Rolls	7
161	1	Pallet of 6 Batteries - (Condition Unknown)	2, 7, 15
162	1	Pallet of Pipe Sleeves and Hessian Sand Bags	7
163	1	Pallet of Bagged Cement - Comprising: 10 x Sunstate GP Cement 20Kg 15 x Bastion GP Cement 20Kg 4 x Bastion Rapid Set Concrete 20Kg	7
164	1	Pallet of Bagged Mortar/Render - Comprising: 8 x Bastion 20Kg Mortar 1 x Davco Render 20Kg 30 x Dayton Superior Civil/Structural VO 20Kg	7
165	1	Quantity of Warning Banners - IPEX Danger High Pressure Gas x 6m Vinidex Danger Electric Cables Below	7, 12
166	1	Quantity of Star Pickets & Barrier Flags - 650mm Star Pickets x 31 Barrier Flags & Minor Items	7
167	1	4 Section Timber Storage Rack - With Temporary Fencing Mounting Plates, Star Pickets & Minor Items	7
168	1	Pallet With Steel Plate - Tank Ends x 2	7

LOT	QTY	DESCRIPTION	RISK CODE
169	1	Pallet With Daemco Pipe Fittings - Comprising: 3 x PN16, 100mm x 90mm, 90 Degree 1 x PN18 129-133 Joiner 1 x GGG 50 Valve 1 x PN16 100mm x 90mm, 90 Degree Flanged 1 x PN16 DN150 Joiner Quantity of PVC 90 Degree Bends, Joiners & Sundry Items	7
170	1	Pallet of Water Hoses & Hydrant, Couplings & Sundry Items	7
171	1	Pallet of Quantity of Joiners, Angle Plates, Valve Shafts & Minor Items	7
172	1	Timber Stillage - With Quantity Of Filters, Truck Spares & Fittings	7
173	1	Pallet of Quantity of Flange Bolts, Various Sizes	7
174	1	Pallet of Quantity of End Valves, Backing Plates, Seals & Gauges	7
175	1	Pallet of Quantity of Pipe Sleeves, Warning Tape (Cable Below), Gap Filler/Expansion Foam & Sundry Items	7
176	1	Pallet of Quantity Of PVC Pipe Primer & Cement, Concrete Surface Retarder, BondCrete, Megapoxy Resin Adhesive, Sika Plug & Sundry Items	7
177	1	Pallet of Epirez Epoxy Coating Coupons & Hardener	7
178	3	Pallets of Coolants, Oils, Grease & Grease Gun & Sundry Items	7, 15
179	2	Pallets of Tyres - Various Sizes	7
180	1	Steel Fabricated Double Side Storage Rack - With Quantity of Formwork Timber	7, 13, 19
180A	1	Length Of Polypipe - 100mm Diameter x Approx. 22 Lineal Metres	7
181	1	Pallet of Quantity Of Formwork Timber and Gyprock	7
182	1	Pallet of 2 x Grates	7
183	1	Pallet of Cargo Nets, Gap Fill Expansion Joint Foam Ducting & Minor Items	7
184	1	Allowance for Sundry Items - Comprising: Witches Hats, Vehicle Tray Sides, Ladders, Partition Screen, Wheel Barrow & Minor Items	7, 12
185	1	Pallet of Aluminium Chequer Plate Covers	7
186	1	Pallet of Expansion Gap Filler Tubing - Various	7
187	2	Rolls of Trench Lining Membrane	7
188	1	Allowance for Sundry Items - Comprising: Temporary Fencing, 1 x Fence Panel 2200mm x 2300mm 3 x Fence Panels 3000mm x 2200mm, And Quantity of Stands	7
189	1	Allowance for Mixed Gas Bottles - 1 x 3.7Kg Capacity, 3 x 8.5KG Capacity	7, 21

LOT	QTY	DESCRIPTION	RISK CODE
300	1	Plant Trailer - Tandem Axle, 2800mm x 1600mm Colour: Blue, Sign Written Reg. No: 452QXM Tyre Size: 185R14C Tyre Wear Remaining: 70% Notes: Fully Enclosed With Storage Cage Tool Box Contents of 452QXM Shovel, Rake, Cut Off Blades, General Purpose Spill Kit & Minor Items S/N: Not Visible	7, 26, 27, 31
301	1	Plant Trailer - Tandem Axle, Trailer World DOM: 12/1995 3000mm x 1670mm Colour: White Reg. No: 063Q0N Tyre Size: 195R14C Tyre Wear Remaining: 70% 5 x Ratchet Tie Downs Contents of 063QDN, VIN: 6TFXTBBTTASU000589	7, 26, 27, 31
302	1	Box Trailer for Oil - Single Axle Reg. No: EE1456 Including 1 x Samoa Lubricant Pump to Tank S/N: Not Visible Plant ID: 43010	7, 26, 27, 31
303	1	Motor Vehicle - Toyota, Land Cruiser LC79 Supertourer, DOM: 2017 Compliance Date: 07/2017 Dual Cab Chassis 4WD Colour: Black Reg. No: 10T8PS Odometer: 65,084Kms V8, 4.4Ltr Diesel Manual 5 Speed Tyre Size Front & Rear: LT285/70R17 Tyre Wear Remaining Front & Rear: 70% Interior Condition: Good Nil Rust Extras: Air Conditioning, Power Steering, ABS, Towbar, Bullbar, Power Windows, Power Mirrors, Leather Interior Notes: Side Steps, Light Bar, Rhino Racks, Vehicle Modified by Patriot Campers, Spot Lights, VIN: JTEBV71J407014304	1, 2, 5, 7, 26, 27, 28, 31
304	1	Motor Vehicle - Toyota, Land Cruiser Sahara DOM: 2013 Compliance Date: 11/2013 Wagon 4WD Colour: Black Reg. No: BOB501 Odometer: 150,370Kms 8 Cylinder Diesel Automatic Tyre Size Front & Rear: 285/60R18 Tyre Wear Remaining Front & Rear: 80% Interior Condition: Good Nil Rust Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Leather Interior, Towbar, Power Windows, Power Mirrors, Power Seats, Climate Control, Alloys, CD Stacker, Tint Notes: Side Steps, Drop Down DVD Player, VIN: JTMHV05JX04127062	1, 2, 5, 7, 26, 27, 28, 31

LOT	QTY	DESCRIPTION	RISK CODE
305	1	<p>Motor Vehicle - Toyota, Hilux 8 Gen DOM: 2018 Compliance Date: 02/2018 Dual Cab Chassis 4WD Colour: White, Sign Written Reg. No: 079XYC Odometer: 16,121 Kms 4 Cylinder, 2.8Ltr Diesel Manual 6 Speed Tyre Size Front & Rear: 265/65R17 Tyre Wear Remaining Front & Rear: 80% Interior Condition: Good Nil Rust Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Towbar, Power Windows, Power Mirrors, Tint Notes: Safety Beacon, Rear Tray with Toolbox, Side Steps, Mine Specification, VIN: MR0KA3CD301211047</p>	1, 2, 5, 7, 26, 27, 28, 31
306	1	<p>Motor Vehicle - Toyota, Hilux 2.8 D4D SR5 DOM: 2017 Compliance Date: 01/2018 Dual Cab Utility 4WD Colour: White, Sign Written Reg. No: 032XUY Odometer: 50,939Kms 4 Cylinder, 2.8Ltr Diesel Automatic 5 Speed Tyre Size Front & Rear: 265/60R18 Tyre Wear Remaining Front & Rear: 80% Interior Condition: Good Nil Rust Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Tow bar, Power Windows, Power Mirrors Notes: Side Steps, Safety Beacon, Mine Spec, Cracked Windscreen, VIN: MR0HA3CD600409198</p>	1, 2, 5, 7, 26, 27, 28, 31
307	1	<p>Motor Vehicle - Toyota, Hilux 8 Gen DOM: 2018 Compliance Date: 02/2018 Dual Cab Chassis 4WD Colour: White, Sign Written Reg. No: 044XUY Odometer: 87,004Kms 4 Cylinder, 2.8Ltr Diesel Manual 6 Speed Tyre Size Front & Rear: 215/85R16C Tyre Wear Remaining Front & Rear: 90% Interior Condition: Good Nil Rust Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Towbar, Power Windows, Power Mirrors Notes: Side Steps, Safety Beacon, Rear Tray with Toolbox, 2 Way Radio, VIN: MR0KA3CD101210799</p>	1, 2, 5, 7, 26, 27, 28, 31

LOT	QTY	DESCRIPTION	RISK CODE
308	1	<p>Motor Vehicle - Toyota, Hilux 8 Gen DOM: 2018 Compliance Date: 06/2018 Dual Cab Utility 4WD Colour: White, Sign Written Reg. No: 957YFT Odometer: 43,818Kms 4 Cylinder, 2.8Ltr Diesel Automatic Tyre Size Front & Rear: 265/60R18 Tyre Wear Remaining Front & Rear: 80% Interior Condition: Good Nil Rust Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Power Windows, Power Mirrors, Power Seats, Alloys, CD Player, Side Steps Notes: Safety Beacon, Rear Bar to Tray, Mine Specification VIN: MROHA3CD700417780</p>	1, 2, 5, 7, 26, 27, 28, 31
309	1	<p>Motor Vehicle - Toyota, Hilux 8 Gen DOM: 2018 Compliance Date: 02/2018 Dual Cab Chassis 4WD Colour: White, Sign Written Reg. No: 078XYC Odometer: 32,899Kms 4 Cylinder, 2.8Ltr Diesel Manual 6 Speed Tyre Size Front & Rear: 265/65R17 Tyre Wear Remaining Front & Rear: 80% Interior Condition: Good Nil Rust Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Power Windows, Power Mirrors, Tint Notes: Safety Beacon, Rear Tray with Toolbox, Side Steps, Mine Specification VIN: MR0KA3CD601211088</p>	1, 2, 5, 7, 26, 27, 28, 31
310	1	<p>Motor Vehicle - Toyota, Hilux 8 Gen DOM: 2017 Compliance Date: 12/2017 Dual Cab Chassis 4WD Colour: White, Sign Written Reg. No: 076XYC Odometer: 41,852Kms 4 Cylinder, 2.8Ltr Diesel Manual 6 Speed Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Towbar, Power Windows, Power Mirrors, Tint Notes: Safety Beacon, Rear Tray with Toolbox, Mine Specification VIN: MR0FB3CD100272062</p>	1, 2, 5, 7, 26, 27, 28, 31

LOT	QTY	DESCRIPTION	RISK CODE
311	1	<p>Motor Vehicle - Toyota, Hilux 8 Gen DOM: 2017 Compliance Date: 11/2017 Dual Cab Chassis 4WD Colour: White, Sign Written Reg. No: 327XSC Odometer: 69,518Kms 4 Cylinder, 2.8Ltr Diesel Manual 6 Speed Tyre Size Front & Rear: 265/65R16 Tyre Wear Remaining Front & Rear: 80% Interior Condition: Good Nil Rust Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Towbar, Bullbar, Power Windows, Power Mirrors, Alloys, Tint, CD Player Notes: Safety Beacon, Toolbox, Side Steps, Cracked Windscreen, Mine Specification VIN: MR0KA3CD601206876</p>	1, 2, 5, 7, 26, 27, 28, 31
312	1	<p>Motor Vehicle - Toyota, Hilux 150 SER SR5 DOM: 2012 Compliance Date: 09/2012 Dual Cab Utility 4WD Colour: White, Sign Written Reg. No: 757SNF Odometer: 247,490Kms 4 Cylinder, 3Ltr Diesel Automatic 3 Speed Tyre Size Front & Rear: 265/65R17 Tyre Wear Remaining Front: 60% Tyre Wear Remaining Rear: 80% Interior Condition: Good Nil Rust Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Towbar, Bullbar, Power Windows, Power Mirrors, Alloys, Tint, Rollaway Tourneau Cover Notes: Side Steps, Safety Beacon, Rear Tray, Mine Specification VIN: MR0FZ29G301728726</p>	1, 2, 5, 7, 26, 27, 28, 31
313	1	<p>Motor Vehicle - Toyota, Hilux Workmate DOM: 11/2017 Compliance Date: 01/2018 Single Cab Utility 2WD Colour: White, Sign Written Reg. No: 997XVM Odometer: 46,529Kms 2.7Ltr Petrol Manual 5 Speed Tyre Size: 215/85R16C Tyre Wear Remaining: 70% Interior Condition: VG Nil Rust Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Power Windows, Power Mirrors Notes: Aluminium Tray and Toolbox, Beacons, Mine Specification VIN: MR0EX3CB101114424</p>	1, 2, 5, 7, 26, 27, 28, 31

LOT	QTY	DESCRIPTION	RISK CODE
314	1	<p>Motor Vehicle - Toyota, Hilux Workmate DOM: 2017 Compliance Date: 12/2017 Single Cab Chassis 2WD Colour: White, Sign Written Reg. No: 969XVM Odometer: 61,904Kms 2.7Ltr Petrol Manual 5 Speed Tyre Size: 215/85R16C Tyre Wear Remaining: 70% Interior Condition: VG Nil Rust Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Power Windows, Power Mirrors Notes: Aluminium Tray and Toolbox, Beacons, Mine Specification VIN: MROEX3CB401114384</p>	1, 2, 5, 7, 26, 27, 28, 31
315	1	<p>Motor Vehicle - Toyota, Hilux Workmate DOM: 2018 Compliance Date: 01/2018 Single Cab Chassis 2WD Colour: White, Sign Written Reg. No: 980XVM Odometer: 42,485Kms 4 Cylinder Petrol Manual 5 Speed Tyre Size Front & Rear: 215/65R16 Tyre Wear Remaining Front & Rear: 80% Interior Condition: Good Nil Rust SPECIAL NOTE FOR LOT 315 – ADVERTISED AS A DIESEL UNIT, IS INFAC T PETROL Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Power Windows, Power Mirrors, Tint Notes: Safety Beacon, Rear Tray with Toolbox, Burn to Driver's Seat, Mine Specification VIN: MROEX3CB901114431</p>	1, 2, 5, 7, 26, 27, 28, 31
316	1	<p>Motor Vehicle - Toyota, Hilux 8 Gen DOM: 2017 Compliance Date: 10/2017 Single Cab Chassis 4WD Colour: White, Sign Written Reg. No: 922XVM Odometer: 59,038Kms 4 Cylinder Diesel 6 Speed Manual Tyre Size Front & Rear: LT225/70R17 Tyre Wear Remaining Front & Rear: 90% Interior Condition: Good Nil Rust SPECIAL NOTE FOR LOT 316 – ADVERTISED AS A 2WD, IS INFAC T 4WD Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Towbar, Power Windows, Power Mirrors, CD Player Notes: Safety Beacon, Mine Specification VIN: MROFB3CB500221081</p>	1, 2, 5, 7, 26, 27, 28, 31

LOT	QTY	DESCRIPTION	RISK CODE
317	1	<p>Motor Vehicle - Toyota, Hilux Workmate DOM: 2017 Compliance Date: 12/2017 Single Cab Chassis 2WD Colour: White, Sign Written Reg. No: 995XVM Odometer: 79,913Kms 4 Cylinder Petrol Manual 5 Speed Tyre Size Front & Rear: 215/65R16 Tyre Wear Remaining Front & Rear: 80% Interior Condition: Good Nil Rust</p> <p>SPECIAL NOTE FOR LOT 317 – ADVERTISED AS A DIESEL UNIT, IS INFAC T PETROL</p> <p>Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Power Windows, Power Mirrors, Tint Notes: Safety Beacon, Rear Tray with Toolbox, Mine Specification VIN: MR0EX3CB501113969</p>	1, 2, 5, 7, 26, 27, 28, 31
318	1	<p>Motor Vehicle - Nissan, Navara DOM: 2012 Compliance Date: 12/2012 Dual Cab Utility 4WD Colour: White, Sign Written Reg. No: 200SRZ Odometer: 164,792Kms 4 Cylinder, 2.5Ltr Diesel Manual 6 Speed Tyre Size Front & Rear: 265/70R16 Tyre Wear Remaining Front & Rear: 80% Interior Condition: Good Surface Rust</p> <p>Extras: Air Conditioning, Power Steering, ABS, Towbar, Power Windows, Power Mirrors, Alloys, Tint Notes: Safety Beacon, Rear Tray with Toolbox, Mine Specification VIN: MNTVCUD40A0025938</p>	1, 2, 5, 7, 26, 27, 28, 31
319	1	<p>Motor Vehicle - Holden, Colorado DOM: 2011 Compliance Date: 05/2011 Dual Cab Utility 4WD Colour: White, Sign Written Reg. No: 169RTY Odometer: 240,030Kms 3Ltr Diesel Manual 6 Speed Tyre Size Front & Rear: 245/70R16 Tyre Wear Remaining Front & Rear: 70% Interior Condition: Fair Surface Rust</p> <p>Extras: Air Conditioning, Power Steering, Towbar, Power Windows, Power Mirrors, Tint Notes: Safety Beacon, Rear Tray with Toolbox, Mine Specification VIN: MMMTFS85JBH532274</p>	1, 2, 5, 7, 26, 27, 28, 31
320	1	Removed from Auction	0

LOT	QTY	DESCRIPTION	RISK CODE
321	1	<p>Motor Vehicle - Nissan, Navara D40 DOM: 2012 Compliance Date: 07/2012 Dual Cab Chassis 4WD Colour: White, Sign Written Reg. No: 198SRZ Odometer: 253,628Kms 4 Cylinder, 2.5Ltr Diesel Manual 6 Speed Tyre Size Front & Rear: 265/70R16 Tyre Wear Remaining Front & Rear: 90% Interior Condition: Good Surface-Minor Rust Extras: Air Conditioning, Power Steering, ABS, Towbar, Power Windows, Power Mirrors, Alloys, Tint Notes: Safety Beacon, Rear Tray with Toolbox, Burn to Driver's Seat, Mine Specification VIN: MNTVCUD40A0025392</p>	1, 2, 5, 7, 26, 27, 28, 31
322	1	<p>Motor Vehicle - Nissan, Navara D40 DOM: 2012 Compliance Date: 12/2012 Dual Cab Chassis 4WD Colour: White, Sign Written Reg. No: 201SRZ Odometer: 240,491Kms 4 Cylinder Diesel Manual 6 Speed Tyre Size Front & Rear: 255/70R16 Tyre Wear Remaining Front & Rear: 60% Interior Condition: Good Nil Rust Extras: Air Conditioning, Power Steering, ABS, Cruise Control, Towbar, Power Windows, Power Mirrors, Tint Notes: Safety Beacon, Rear Tray with Toolbox, Mine Specification VIN: MNTVCUD40A0025907</p>	1, 2, 5, 7, 26, 27, 28, 31
323	1	<p>Motor Vehicle - Nissan, Navara RX DOM: 2012 Compliance Date: 07/2012 Dual Cab Utility 4WD Colour: White, Sign Written Reg. No: 197SRZ Odometer: 238,394Km 4 Cylinder, 2.5Ltr Diesel Manual 6 Speed Tyre Size Front & Rear: 265/70R16 Tyre Wear Remaining Front & Rear: 90% Interior Condition: Good Nil Rust Extras: Air Conditioning, Power Steering, ABS, Towbar, Power Windows, Power Mirrors, Alloys, Tint Notes: Safety Beacon, Rear Steel Tray with Toolbox, Mine Specification VIN: MNTVCUD40A0025396</p>	1, 2, 5, 7, 26, 27, 28, 31

LOT	QTY	DESCRIPTION	RISK CODE
324	1	<p>Motor Vehicle - Great Wall, V200 DOM: 05/2012 Compliance Date: 07/2012 Single Cab Chassis Unit/Fleet No: OLCG04 Colour: White, Sign Written 4 Cylinder Engine 2.0L Diesel 2WD 6 Speed Manual Reg. No: 220SLD Reg. Exp: 13/01/2019 Odometer: 146,402Km Front Tyre Size: 235/70R16 107T Rear Tyre Size: 235/70R16 107T Nil Rust Extras: Air Conditioning, Power Steering, ABS, Power Windows, Alloy Wheels, CD Player, Tint VIN: LGWDBE377CC655168</p>	1, 2, 5, 7, 26, 27, 28, 31
325	1	<p>Tray Back Truck - Isuzu, NPR 45/155 Trade Pack DOM: 2018 Compliance Date: 09/2018 4 x 2 Engine Make: Isuzu Engine Model: 4HK1-TCN 153Hp Gearbox Make: Isuzu Automatic Spring Suspension Alloy Rims Odometer: 44,175kms Reg. No: 620YLS Reg. Expiry: 11/04/2020 Colour: Silver, Sign Written GCM: 8000Kg Alloy Rims Tyre Size: 195/85R16 Tyre Wear Remaining: 70% Nil Rust Notes: Mine Specification, Safety Lights, Bullbar, Towbar, Aluminium Tray, Reverse Alarm VIN: JAANPR75HF7112093</p>	1, 2, 5, 7, 26, 27, 28, 31
326	1	<p>Tray Back Truck - Isuzu, NPR 45/155 Trade Pack DOM: 2018 Compliance Date: 10/2018 4 x 2 Engine Make: Isuzu Engine Model: 4HK1-TCN 153Hp Gearbox Make: Isuzu Automatic Spring Suspension Alloy Rims Odometer: 34,606kms Reg. No: 621YLS Reg. Expiry: 11/04/2020 Colour: Silver, Sign Written GCM: 8000Kg Disc Steel Rims Tyre Size: 195/85R16 Tyre Wear Remaining: 70% Nil Rust Notes: Mine Specification, Bullbar, Towbar, 2 x MRT Tray Boxes, 1 x Toolbox, Aluminium Tray, Reverse Alarm, Safety Beacons, Pipe Bars VIN: JAANPR75HF7113397</p>	1, 2, 5, 7, 26, 27, 28, 31

LOT	QTY	DESCRIPTION	RISK CODE
327	1	<p>Tray Back Truck - Isuzu, NPR 45/155 Trade Pack DOM: 2018 Compliance Date: 10/2018 4 x 2 Engine Make: Isuzu Engine Model: 4HK1-TCN 153Hp Gearbox Make: Isuzu Automatic Spring Suspension Alloy Rims Odometer: 34,151kms Reg. No: 622YLS Reg. Expiry: 11/04/2020 Colour: Silver, Sign Written GCM: 8000Kg Alloy Rims Tyre Size: 195/85R16 Tyre Wear Remaining: 70% Nil Rust Notes: Mine Specification, Safety Lights, Bullbar, Towbar, Aluminium Tray, Reverse Alarm VIN: JAANPR75HF7113409</p>	1, 2, 5, 7, 26, 27, 28, 31
328	1	<p>Service Vehicle - Isuzu, NQR 450 Medium DOM: 2007 Compliance Date: 01/2008 4 x 2 Engine Make: Isuzu Engine Model: Sitec175 173Hp Gearbox Make: Isuzu Manual 5 Speed Spring Suspension Steel Rims Odometer: Not Available Due To Flat Battery Advised Fleet Tracking System: 393,580km Reg. No: 469WOS Reg. Expiry: 15/03/2020 Colour: White, Sign Written GCM: 12,000Kg Steel Rims Tyre Size: 255/70R19.5 Tyre Wear Remaining: 90% Nil Rust Roller Shutter Service Back VIN: JAAN1R75H87100023</p>	1, 2, 5, 7, 26, 27, 28, 31
329	1	<p>Truck - Mitsubishi, Canter 7/800 YOM: 2009 Compliance Date: 04/2009 Unit/Fleet No: OLCG10 4 x 2 Tipper Colour: White, Sign Written Engine Make: Mitsubishi 110Kw Horsepower Manual 5 Speed Reg. No: 314WNO Reg. Exp: Expired Odometer: 162,769Km Spring Suspension Alloy Rims Tyre Size: 205/85R16, Front: 10% Wear Remaining, Rear: 80% GCM: 10,000Kg. Surface Rust Notes: Mine Specification, Poor Condition Inside Cab, Safety Beacon, VIN: JLFFE84DC0KJ00126</p>	1, 2, 5, 7, 26, 27, 28, 31

LOT	QTY	DESCRIPTION	RISK CODE
330	1	<p>Tray Truck - Mitsubishi, Canter DOM: 1997 Compliance Date: 02/1997 Dual Cab 4 x 2 4WD 5 Speed Spring Suspension Odometer: 338,975Kms Reg. No: 235TVG Colour: White, Sign Written Tyre Size: 7.50R16LT GCM: 6500Kg Tyre Wear Remaining: 40% Surface Rust Notes: Steel Tray, Towbar, Beacons, Currently Out of Service, Required Repairs Unknown, No Keys Available and Can't Be Started Will Need to Be Tilt Trayed or Towed Out of the Site VIN: 6F6G4H27AVT000026</p>	1, 2, 5, 7, 26, 27, 28, 31
331	1	<p>Screening Plant-Track Mounted - McCloskey International, S190 YOM: 2019 Hours: 446 With Twin Screening Decks: Top Deck 1500mm x 1220mm Bottom Deck: 1550mm x 1830mm With Discharge Conveyors, Adjustable Angle Deck and Fittings with Unused McCloskey Discharge Conveyor, Motors, Continuous Rubber Belt, 1200mm x 8000mm; Unused Screening Grizzly, 5000 x 2000mm Folding Hunger Boards; Water Header Tank, Approx. 1000Ltr, 3700 x 1400 x 2000mm; Small Header Tank S/N: 75268</p>	1, 2, 3, 4, 5, 7, 9, 17, 19, 20, 26, 27, 28, 31
332	1	<p>Wash Plant - Comprising: 1 x Wash Plant - Bruce, BSW200/369-A002 - YOM: 2017 S/No.: E06566 Screen Hours: 527 Conveyor Hours: 530 Pump Hours: 456 With 1 x Centrifugal Pump - Warman 150/125D - YOM: 2017 Lined Casing, S/N:008129 1 x Centrifugal Pump - Warman, 200/150D - YOM: 2017 Lined Casing, S/N: 008131 1 x Supply Pump - BBA Pumps, BA180E D328 - YOM: 2017 Priming Type: BBA MP50 Driven by Perkins, Model 1104DE44TA Hours: 200 (Estimated), S/N: ID No: 21007318 2 x Take Off Stacker Conveyors - Bruce, 370-A000 - YOM: 2017 Type 15 x 750, S/N: 6567-A, 6567-B</p>	1, 2, 3, 4, 5, 7, 9, 17, 19, 20, 26, 27, 28, 31
333	1	<p>Generator - Genelite, PLG-CM-220S YOM: 05/2019 Rated: 220KVA/415V @ 1500RPM Hours: 485 Engine: Dongfeng/Cummins, 6 Cylinder, DOM: 12/2014 with Acoustic Housing Mine Specification, S/N: 1809132K06</p>	1, 2, 5, 7, 9, 14, 25, 28

LOT	QTY	DESCRIPTION	RISK CODE
334	1	Excavator - Yanmar, VI080 DOM: 2013 Enclosed Cabin, Air Conditioned ROPS Hours: 5190 Piped for Hammer Wear Remaining on Rubber Tracks: 60% Colour: Yellow, Sign Written Engine Make: Yanmar Engine Model: 4TNV98 Diesel Nil Rust Notes: Quick Hitch 1 x 1.5m³ Mud Bucket, OLDC665 2 x GP Buckets, 600mm Width 1 x Trenching Bucket, 300mm Width 1 x Standard Push Blade, S/N: S/No: 92100 PIN: YMRVI080CCYJ92100	1, 2, 3, 4, 5, 7, 9, 17, 19, 20, 26, 27, 28, 31
335	1	Skid Steer Loader - Bobcat, S650 DOM: 2011 Enclosed Cabin, Air Conditioned ROPS Hours: 2,319 Wear Remaining on Tyres: 50% Colour: White, Sign Written Reg. No: C95723 Engine Make: Kubota Engine Model: V3307-D1-TE3 55Kw Diesel Surface Rust Notes: Road Sweeping Brush, 4 in 1 Bucket, Spreader Bar, SBD: 220mm Width x 165MM Length Brush: 160mm Width, 4 in 1: 185mm Width x 750mm Depth x 67mm Height, PIN: A3NV14480	1, 2, 3, 4, 5, 7, 9, 17, 19, 20, 26, 27, 28, 31
336	1	Site Front Dumper - Barford, SKR9 DOM: 2010 Advised Reg No.: C86240 Hours: 5,190 Wear Remaining on Tyres: 80% Colour: Yellow Sign Written Engine Make: Iveco Engine Model: N45MSSX00 Diesel Notes: Dump Bucket Dim: 2299mm Width x 2300mm Length x 900mm Depth S/N: SKR911285WYC0027	1, 2, 3, 4, 5, 7, 9, 17, 19, 20, 26, 27, 28, 31
337	1	Double Drum Roller - Ammann, AV26-2 DOM: 2006 Open Cabin Hours: 206 Colour: Green & Yellow Engine Make: Yanmar Engine Model: 3TNV88-XAMM Diesel Nil Rust, S/N: 20355 PIN: TFAAV26EY60020355	1, 2, 3, 4, 5, 7, 9, 17, 19, 20, 26, 27, 28, 31
338	1	Trailer Mounted Air Compressor - Doosan, 7/41+ DOM: 2013 Single Axle Engine Make: Yanmar Engine Model: 41RH8N 4 Cylinder Fuel Tank Capacity: 40Ltr Free Air Delivery: 4m³ Operating Pressure: 7 Bar Gross Mass: 780Kg Operating Hours: 259 VIN: UN5741FXXDY432165	2, 5, 7, 9, 13, 16, 18, 26, 27, 30, 31

LOT	QTY	DESCRIPTION	RISK CODE
339	1	Generator - Doosan, G30, DOM: 2012 Skid Mounted, Next Service: 6750 Hours, Mitsubishi Engine, Diesel, 4 Cylinder, Prime Power Output:31.2kVA S/No.: G0300193	1, 2, 5, 7, 9, 14, 25, 28
340	1	Forklift - Not Visible, FD25 DOM: Not Visible Diesel Colour: Orange 3 Stage Container Mast Mast Maximum Lift Height: 4,700mm Mast Maximum Lift Capacity: 1,700Kgs Side Shift Tilt: 6 Degree Forward, 6 Degree Back Hours: 1,304 Tyre Condition: Good Single Axle Power Steering Manual, S/N: 511244	1, 2, 4, 5, 7, 17, 19, 20, 21, 23, 25, 26, 27, 28, 31
341	1	Forklift Jib Attachments - All Lifting, 2000Kg Capacity, Telescopic	7, 17, 19
342	1	Forklift JIB - In House Fabricated, 4 Metres Long	7, 17, 19
343	1	Forklift JIB - Tow Ball Jib, In House Fabricated	7, 17, 19
344	1	Plate Compactor - Bomag, BPR 100/80 D, DOM:06/2012, Hours: 247, 970mm Plate, S/N: 101690351824	1, 3, 5, 7, 27
345	1	Plate Compactor - Wacker Neuson, DPU4045, 900mm Plate, Yanmar Engine, Plant ID: OLDCDPU03	1, 3, 5, 7, 27
346	1	Jumping Jack Compactor - Bomag, BT65, DOM: 2017, Walk Behind, Honda GX R120 Engine, 340mm Plate, S/N: 101541329196	1, 3, 5, 7, 27
347	1	Plate Compactor - Wacker Neuson, MP70 - Petrol, S/N: 0630243, Plant ID: OLDCVPO2	1, 3, 5, 7, 27
348	1	Compactor Plate - Wacker Neuson, Petrol Engine, Plant ID: OLDCVPO1	1, 3, 5, 7, 27
349	1	Jumping Jack Compactor - Bomag, YOM: 2011, Type BT65/4, S/N: 101540565741	1, 3, 5, 7, 27
350	1	Rock Breaker - MSB, AGA250HS - YOM: 2012, Estimated to Suit up to 25T Capacity Excavators, S/N: 9AGA250HS-12E-1183	7, 20
351	1	Rock Breaker - MSB, SAGA120HS - YOM: 2012, Estimated to Suit up to 12T Capacity Excavators, S/N: 9AGA250HS-12A-1287	7, 20
352	4	Excavator Ripper Attachment - 20+ Tonne Rated, Plant ID: EX0024	7
353	1	Rock Breaker - Soosan, 43 II - To Suit up to 8T Excavators, 1899mm Width, S/N: Not Visible	7
354	1	Compaction Wheel - Oz, 1000mm Diameter x 500mm Width	7
355	1	Tilting Mud Bucket - Oz, 2200mm Width, Plant ID: OLDC952	7, 20
356	1	GP Bucket - 1990mm Width, Plant ID: OLPH934	7
357	1	Tilting Mud Bucket - Oz, 2200mm Width, S/N: 22982S, Suit Komatsu PC350, Plant ID: OLDC948	7, 20
358	3	Top Plate Quick Hitch - Titan	7

LOT	QTY	DESCRIPTION	RISK CODE
359	1	Auger Extension - 2150mm Total, 1880mm Extension, Plant ID: OLDC813	7
360	1	GP Bucket - Titan, 900mm Width, S/N: 4084, Plant ID: OLDC816	7
361	1	Tilting Mud Bucket - Titan, 1800mm Width, Plant ID: OLDC813	7, 20
362	1	Tilting Mud Bucket - Oz, 2200mm Width	7, 20
363	1	GP Bucket - Oz, 800mm Width, S/N 24716V, Suit: Komatsu PC350 Excavator, Plant ID: OLPH976	7
364	1	GP Bucket - Oz, 800mm Width, S/N: 229820, Suit Komatsu PC350, Plant ID: OLDC950	7
365	1	Compaction Wheel - TE, 750mm Diameter x 800mm Width, S/N: MC2361, Plant ID: OLDC930	7
366	0	Removed from Auction	0
367	1	Rock Bucket - Big Rick, 1100mm Width	7, 20
368	1	GP Bucket - Caterpillar, 1800mm Width, Plant ID: QLDC806	7
369	1	GP Bucket - Atlas Heavy Engineering, DOM: 27/09/2017, S/N: 604928	7
370	1	GP Bucket - 880mm Width, Plant ID: OLDC702	7
371	1	Tilting Mud Bucket - Titan, 1450mm Width, Plant ID: OLDC714	7, 20
372	1	Tilting Mud Bucket - AEA, 1500mm Width, Plant ID: OLDC811	7, 20
373	1	GP Bucket - Oz, 800mm Width, S/N: 25676B, Suit Caterpillar 330D Excavator, Plant ID: OLPH988	7
374	1	Auger - 570mm Diameter, with Powered Head, Plant ID: OLDC812	7, 20
375	1	Mud Bucket - 1500mm Width, Plant ID: OLDC612	7
376	1	Rock Bucket - Oz, 1500mm Width, Plant ID: OLDC821	7
377	1	Ripper - Titan, Plant ID: OLDC706	7
378	1	Compaction Wheel - Titan, 460mm Diameter, Plant ID: OLDC705	7
379	1	Ripper - Oz, Plant ID: OLPH972	7
380	1	Set Hydraulic Grab Attachment - 950mm Width	7, 20
381	1	GP Bucket - Oz, 900mm Width, Plant ID: OLDC610	7
382	1	Compaction Wheel - Titan, 600mm Diameter x 450mm	7
383	1	Trench Bucket - Caterpillar, 550mm Width, Plant ID: OLDC805	7
384	1	Compaction Wheel - Titan, 850mm Diameter x 600mm, Plant ID: OLDC809	7
385	1	Excavator Ripper Attachment - Oz, Plant ID: OLDC60	7

LOT	QTY	DESCRIPTION	RISK CODE
386	1	Compaction Wheel - RB, 900mm Diameter x 500mm Width	7
387	1	Compaction Wheel - Oz, 700mm Diameter x 600mm Width	7
388	1	Compactor Plate - MSB Corporation, MSHV700H, S/N: MSHV700H-11D-105, Plant ID: OLDC603	7, 20
389	1	Compaction Wheel - Oz, 500mm Diameter x 350mm Width	7
390	1	Compaction Wheel - Oz, 700mm Diameter x 500mm Width	7
391	1	GP Bucket - Titan, 600mm Width, 0.6m³, Plant ID: OLPH933	7
392	1	Plate Compactor Attachment - MSB Corporation, MSHV700H, YOM: 2012, S/N: MSHV700H-12J-109	7
393	1	Trenching Bucket - Titan, 580mm Width, Plant ID: OLDC905	7
394	1	Trenching Bucket - 580mm Width, Plant ID: OLDC920	7
395	1	GP Bucket - Titan, 550mm Width	7
396	1	Trench Bucket - Oz, 550mm Width, S/N: 22982L, Plant ID: OLDC951	7
397	1	Quick Hitch Attachment - Everdigm, RHQ-713D4, S/N:D4H	7, 20
398	1	Trench Bucket - Titan, 400mm Width, Plant ID: OLDC707	7
399	1	Trench Bucket - Titan, 550mm Width, Plant ID: OLDC709	7
400	1	GP Bucket - RB, 750mm Width, Plant ID: OLDC922	7
401	1	Quick Hitch - ShawX, To Suit Caterpillar 320E, S/N: TM1485	7, 20
402	1	Trench Bucket - Geith, 350mm Width, Plant ID: OLPH931	7
403	1	Trench Bucket - Oz, 400mm Width	7
404	1	GP Bucket - Jaws, 2000mm Width, Plant ID: OLDC927	7
405	1	Trench Bucket - Oz, 400mm Width	7
406	1	Excavator Ripper Attachment - Oz, Plant ID: OLPH720	7
407	1	Trench Bucket - Oz, 250mm Width, Plant ID: OLDC601	7
408	1	Auger Attachment - 400mm Diameter, Plant ID: OLDC815	7
409	2	Spreader Bar - 2550mm x 1500mm	7
410	1	Rock Breaker Shaft - 160mm Diameter x 1500mm Length	7
411	1	Rock Breaker Shaft - 140mm Diameter x 1300mm Length, To Suit 20 Ton Excavator	7
411A	1	GP Bucket - OZ, 1800mm Width, Plant ID OLDC820	7, 17

LOT	QTY	DESCRIPTION	RISK CODE
411B	1	Compaction Wheel - OZ, 700mm Diameter x 600mm Width, Plant ID OLPH979	7, 17
412	1	20' Shipping Container - Associated Industries Plant ID: OLDC 101 DOM:1995 Timber Floor Left Side Wall and Rear Shelving 2 Bays 2 Shelves S/N: MLCU 2245897	2, 7, 13, 25, 30
413	1	Contents to Container - Comprising: 20 x Fortress Steel Panels, Stands and Bolts 2 x Shovels to Wall, 2 x Spill kits, 1 x Renegade Extension Ladder 3 x Bags of Mortar, 20kg Bag Each Loose Brooms, Stakes and Bolt Cutters to Container 1 x Bale of Hessian Bags 1 x Roll of 0.2mm Medium Impact Concrete Underlay Contents of First Shelf, Comprising of Loose Nuts and Bolts to Container, 1x First Aid Kit 1 x Emergency Eyewash Station 1 x Mixed Chemical Containers comprising of 1 x 10L Container of Rugasol 90 1 x Zeppelin Professional Fire Extinguisher 1 x Tool Bag with Mixed Tools and Road Signs 3 x Rolls Plastic Temporary Fencing 1 x Fire World 4.5kg ABE Powder Extinguisher 1 x Spanset High Safety Equipment	2, 7, 12, 15
414	1	20' Shipping Container - Dong Fang International, Plant ID: OLDC 102, ID NO: DFLY606391 DOM: 01/2016 Timber Floor Left Side Wall and Rear Shelving 2 Bays 2 Shelves S/N: RWLU825058022G1	2, 7, 13, 25, 30
415	1	Contents to Container - Comprising: 1 x Tyre and Alloy Rim, Tyre Size: LT 255/70516, Wear Remaining: 50% 1 x Lot of Plastic Bags to Floor, 1 x Mixed Bolts and Nuts to Floor, 1 x Mixed Pallet of Mortar and Renderoc HB40 to Floor, 1x Tub of Mixed Silicone and Epoxy, 1x Lot of Hessian Bags to Floor, 1 x Mixed lot of Mixed Chemicals, Comprising of Sikadur-31/41 Part A and B and Rugasol to Floor (Unknown Condition and Quantity) 1 x Box of Denso Tape, 150mm Wide x 10m Roll, 1 x Roll of White Fencing Barrier Screen, 1 x Lot of 3 Phase Power Extension Cords (Unknown Working Condition) 1 x First Aid Kit, 2 x Rolls of Commercial Grade Water Hoses to Floor, 1 x Spill Response Station Kit, 6 x Welding Rod Spools, AKS, Dia: 4mm 1 x Mixed lot of Bolts and Nuts to Shelf, 1 x Mixed Quantity of Rubber Rolls, SOF-Form, Various Lengths, 1 x Box of Adhesive Tape to Floor, 4 x Composite Boards to Side Wall, 1 x Checkmate Fire Extinguisher, 9kg, ABE Powder Type, 1 x Allowance of Various Lifting Chains to Wall of Container, 1 x Alloy Pipe Collar, 43mm Diameter x 760mm Width, Internal Circumference Approx. 590mm 1 x Ladder to Ceiling, Gorilla, Approx. 3 M Long	2, 7, 12, 15
416	1	Allowance for Mixed Truck Parts and Ramps - Tray Sides, Tail Gate, Ramps	7
417	1	Allowance for Mixed PVC Pipe to Stillage Cage	7
418	1	Allowance for 2 x Black Steel Drainage Pipes, Approx. 4000mm, Internal DIM 200mm	7

LOT	QTY	DESCRIPTION	RISK CODE
419	1	Allowance for Mixed Poly/Steel Pipe 1 x 770mm Diameter x 5000mm L 1 x 800mm Diameter x 5900mm L 1 x 440 mm Diameter x 8000mm L	7
420	1	Allowance for Pit Covers - Various Sizes, Steel Plate	7
421	1	Allowance for AG Pipe - PVC, Black or White, 2 Lengths	7
422	2	Jack Stands - Yellow Steel, Approx. 5T Capacity	7, 19
423	1	Allowance for Temporary Fencing - Mesh Steel	7
424	1	Allowance for Plate Steel	7
425	1	Lay Down Concrete Kibble - All Lifting & Safety, DOM:6/8/2010, 1420mm/500mm Diameter x 1680mm Depth, S/N: 1429	7, 12, 19
426	1	Allowance for Manhole Cover Frames - 560mm Internal Diameter, Qty: 29	7
427	1	Allowance for Road Signs To Pallet - Comprising Various Frames, Signs and Stands	7, 12
428	1	Allowance for Cleaner Bar-Finger Shanks - ITR, 5V4311 - Box of 24	7
429	1	Pipe Inspection Robot Crawler Kit - Crux, Remote Controlled CCTV Drain Inspection Kit, Comprising: 1 x 6 Wheel Remote CCTV Carriage with Camera and Lights 1 x 4 Wheel Remote CCTV Carriage with Camera and Lights 1 x Remote Control with Screen and Case, Model: Cruiser Controller, S/N: CS-PCP1212110, DOM: 11/12/2012 1 x Variable Speed ROV Cable Reel Notes: Unknown Working Condition	2, 7, 14
429A	1	Hydraulic Chain Pipe Cutter - Wheeler Rex, Model 3890-18 S/N: 0716121	2, 3, 7, 20
430	1	Laser Level - Leica, Rugby 400DG, Plant No: DLDC SI07, S/N: 73216	2, 7, 14
431	6	Radio Receivers - Trimble, SNR434	2, 7
432	1	Wireless UHF Data Radio - Trimble, TDL 450L-2, S/N: 14291663	2, 7
433	2	Spare Parts for Topcon to Box	7
433A	1	Mixed Lot of Tripods & Bi-pods - Comprising: 3 x Surveying Tripod - Tri-Max, S/N: 500130801, 500132023, 500129886, One in Bag 1 x Surveying Bi-Pod - Ultimate Positioning, in Trimble Bag 1 x Surveying Tripod - Bear Scientific B-HD-W 1 x Surveying Tripod - Trimble 1 x Surveying Tripod - Unbranded, in Bag	7
434	1	Dumpy Level - TopCon, ATB4	7, 14
434A	1	Optical Prism Set - SOKKIA APS12-MAR Backsite Kit, Single Prism Kit, with SOKKISHA Tripod	7, 14
434B	1	Survey Target - Trimble, MT900, Machine Control Target, Millimetre Prism, S/N: 2521H017SR	7, 14
434C	1	GPS Antenna Head - Caterpillar, MS992, GPS Smart Antenna Head, S/N: 263100276W	2, 7, 14
435	1	Contents to Kitchen - Comprising: 1 x Bookcase, 1 x Kelvinator Refrigerator, 1 x Homemaker Microwave, 1 x Sandwich Maker, 1 x Toaster	2, 7, 13

LOT	QTY	DESCRIPTION	RISK CODE
436	1	Reception Desk - Melamine, Corner Type, Three Drawers, 2000mm x 600mm x 600mm	7, 13
437	1	All-In-One Computer - Hewlett Packard, 23-R102A, S/N: 3CR61403W5, (Unknown Condition) Eaton UPS - Model 5S 1200	2, 7
438	1	Allowance for Office Equipment - Comprising: Rexel Laminator LP35HS, Ledah Guillotine 406, IBICO Binder IBI Master 300	2, 7
439	1	Desktop Computer - Hewlett Packard, Pentium Silver CPU, S/N: 8CG82642BZ	2, 7
440	2	Monitor - LG, 24", DOM: 2015	2, 7
441	1	Allowance for Office Requisites - Comprising: White Boards, Office Requisites & Sundry Items	2, 7, 13
442	1	Allowance for Mixed Office Chairs	7
443	1	Office Desk And Return - Melamine, 3 Drawers	7
444	1	Office Desk - Straight Melamine, 3 Drawers	7
445	1	Office Desk And Return - Melamine, 3 Drawers, Including 5 Tier Laminate Bookcase	7
446	1	All-In-One Computer - Hewlett Packard, 24-g062a	2, 7
447	1	Board Room Table - Timber Veneer, 2700mm x 1220mm With Conference End	7, 13
448	1	Allowance for Furniture - Comprising: Wall Mounted White Board, 2400mm x 1200mm; Fabric Upholstered Mesh Back Chairs; Fabric Upholstered Drafting Chair; Plants & Sundry Items	7, 13
449	1	Desktop (Processor Only) - Hewlett Packard, Pentium Silver, S/N: 8CG808232T, With LG Monitor 24MP59HT, Unknown Condition, No Cords	2, 7
450	1	Transportable Office Building - 12000mm x 12000mm, Colourbond Steel Clad, Pitched Roof, Steel Framed Treated Pine Deck, Internal Partitioned Offices, Partitioned Areas Comprising: Reception Area, Kitchen, Board Room, Built In Bench/Work Stations, Built In Cupboards, Air Conditioned, Plaster Lined Walls & Ceilings, Carpet & Fluorescent Lighting	2, 7, 13, 25, 30

ABSENTEE BIDDING FORM

To: Hymans Valuers & Auctioneers **Auction Name:** O'Leary _____
Attention: Patrick Symons **Auction Number:** _____
Facsimile: 02 8270 4488 **Bidder's Number:** _____



Please bid on my behalf for the below listed equipment. **I acknowledge the following:**

- Lodgement of this form serves as a contract of sale and I will undertake to effect payment within 24 hours by the payment option selected below.
- My bid price will have a buyer's premium (BP) of 10% plus GST and 10% GST (total of 21%) added to it at the time of invoicing.
- A deposit of \$100.00 will be charged to my credit card, as a holding deposit, prior to sale and will be refunded if no lots are purchased.
- If I do not pay by 4pm of the day following the sale, a storage fee of \$10.00 plus GST per lot, per day, will be incurred.
- I agree to the terms and conditions of the auction and buyer's notes as outlined in the auction sale catalogue.

Business: _____ **Name:** _____
Address: _____ **Suburb:** _____ **State:** _____
Email: _____ **Phone:** _____ **Mobile:** _____
Signature: _____ **Date:** _____

Lot	Qty	Cross	Lot Description	Bid Price	BP	GST	Total
100	1	EACH ONLY	Example: Clerk Desk - Grey Laminate, 1800mm x 900mm	\$100.00	\$10.00	\$11.00	\$121.00
		EACH ONLY					
		EACH ONLY					
		EACH ONLY					
		EACH ONLY					

- Notes:**
- Buyer's Premium and GST are calculated as per the above example.
 - The title to this equipment does not transfer until such time as payment has been received and receipts issued.
 - All equipment is purchased on an "as is - where is" basis and as such the vendor (or its agent) have no warranty obligations unless alternative directives have been supplied to the buyer.

PAYMENT OPTIONS (Please Tick)

 EFTPOS MasterCard Visa
 Direct Transfer: **Bank:** ANZ **BSB:** 014 002 **Account Number:** 836 542 918
 Account Name: Hymans Asset Management QLD Trust Account

CREDIT CARD DETAILS

Name on Card: _____
Card Number:
Total Amount: \$ _____
 Signature to Authorise
 Credit Card Debit: _____

Card Expiry Date: