



# CGC Kymon - Closing Down Sale



**AUCTION TO BE HELD ONLINE ONLY VIA <https://simulcast.hymans.com.au/>**

**Business/Asset Location: 73-75 Stephen Rd, Botany, NSW**

**Bidding Opens: Thursday 23rd September 10.00am AEST  
Bidding Closes: Thursday 30th September 3.00pm AEST**



**INSPECTION: BY APPOINTMENT ONLY  
Thursday 23rd of September, Wednesday 29th September**

**ENQUIRIES: Angus McLennan 0405 342 340**

**NOTES: A BUYERS PREMIUM OF 13.5% + GST WILL APPLY TO ALL LOTS SOLD**

**HAMMER PRICE IS GST EXCLUSIVE**

**SOME LOTS MAY BE SUBJECT TO REDEMPTION**

**ALL LOTS MUST BE REMOVED WITHIN 10 DAYS FROM THE CONCLUSION OF THE AUCTION**

**IT IS THE BUYER'S RESPONSIBILITY TO RECTIFY ANY ASSETS CONNECTED OR BOLTED TO THE FLOOR, CEILING & WALLS. PLEASE SEE INDIVIDUAL LOT NOTES FOR SPECIFIC DETAILS**

## **EVERYTHING MUST BE SOLD!**

## TERMS AND CONDITIONS OF SALE

- 1 The purchaser acknowledges that all sales conducted by the auctioneer are on the basis of being “GST” exclusive, and as such a GST amount of 10% (or whatever prescribed amount is in force by legislation) will be added to the bid price. Further, the purchaser acknowledges and agrees that in the absence of advice to the contrary, that all bids by the purchaser will be deemed to be exclusive of GST and that GST will be added to the bid price of all lots.
- 2 The purchaser acknowledges that all sales conducted by the auctioneer, that a buyer’s premium may be charged on the bid price.
- 3 As soon as practicable after the fall of the hammer the Purchaser shall sign the agreement (if any) for sale.
- 4 The Purchaser shall be deemed to purchase as principal unless prior to the sale –
  - a) The purchaser shall have disclosed to the Auctioneer that he will be bidding on behalf of a principal and shall supply the full name and address of his principal; and
  - b) The purchaser has given to the auctioneer a copy of written authority to bid for or on behalf of a person.
- 5 The Auctioneer and Vendor reserve the following rights which may be exercised by the Auctioneer without giving any reason therefore –
  - a) to withdraw any lots from the sale;
  - b) not to offer for sale part only of any lot described in the catalogue;
  - c) to offer two (2) or more of the lots described in the catalogue as separate lots for sale together as one (1) lot;
  - d) should such lots referred to in c) of this condition not be knocked down under the hammer to a successful bidder, to offer such lots as separate lots;
  - e) to refuse to accept a bid or bids from any person or persons which in the opinion of the Auctioneer is not in the best interest of the Vendor;
  - f) to refuse admission to/or eject from the selling place any person or persons;
  - g) to refuse to accept any bid for a lot being less than a sum nominated from time to time by the Auctioneer;
  - h) to keep secret the existence and amount of the reserve price (if any) of a lot prior to the close of bidding or withdrawal from sale of the lot;
  - i) in the event that the Purchaser shall successfully bid for more than one lot at the auction;

- j) to appropriate any moneys received from that Purchaser in satisfaction or partial satisfaction of the purchase price (and any taxes, if applicable) due in respect of any one or more of such lots to the total of partial exclusion of amounts due in respect of any other such lot or lots as the Auctioneer shall see fit;
  - k) to elect at any time to treat each contract for the sale of each such lot as interdependent with each other such contract or contracts and default under any such contract shall be treated as default under all such contracts;
  - l) to bid on behalf of any vendor, prospective Purchaser or Purchaser's with or without disclosure; and
  - m) in the event that any lot is not sold at the auction to offer to sell same thereafter by private treaty but otherwise subject to these conditions.
- 6** The Vendor or any person on his behalf reserves the right to bid at the auction in respect to any lot. The Vendor acknowledges that for any successful bids he/she shall still be liable for the payment of any relevant commissions.
- 7** Any bidder shall give his full name and residential address at the time of registering to bid or when called upon to do so by the Auctioneer and –
- a) Prior to the end of the auction or at any time thereafter specified by the Auctioneer the Purchaser shall pay to Auctioneer the full price for the lot, plus any GST, license fee or any other government charge applicable to the goods.
  - b) The Auctioneer at his discretion may require immediate payment or part payment for a lot.
  - c) The purchase price and, where applicable, any part payment thereof, and GST shall be paid in either cash, bank cheque, credit card or bank transfer
  - d) Any balance of the purchase price for a lot shall be paid to the Auctioneer no later than the expiration of the period during which the Purchaser is required by the conditions to take delivery of the lot and he shall not be entitled to require delivery until the purchase price and, where applicable, GST, license fee or government charge shall have been paid in full; and
  - e) Time shall be of the essence in relation to the interpretation and observance of these conditions.
- 8** On the fall of the hammer, the Auctioneer may require and the Purchaser shall pay a deposit in cash of twenty five percent (25%) in part payment of the purchase price for the lots purchased by the Purchaser. In default, the lot or lots so purchased may at the absolute discretion of the Auctioneer be immediately re-offered for sale and re-sold.

- 9** No error in description or deficiency in quantity shall void the sale and the Purchaser shall be bound to take the delivery of the lot without any allowance or abatement in price. Any warranties which might otherwise be implied by the Sale of Goods Act, 1923, are hereby excluded and shall not apply. The Auctioneer and the Vendor make no warranties other than those implied by Common Law or by statute the exclusion of which warranty would render this condition void or voidable or which would constitute an offence by the auctioneer or the Vendor. Intending bidders must satisfy themselves by inspection or otherwise as to the nature of the lot or lots offered for sale and must accept same with all fault, patent or latent (if any). Furthermore, no warranty shall be implied from any affirmation made at the auction or otherwise but in all cases where an express warranty is intended, the same shall only be enforceable of reduced to writing and signed by the Vendor or by the Auctioneer as agent for the Vendor.
- 10** At the absolute discretion of the auctioneer, he may accept payment by way of personal or company cheque. Should the above occur title does not pass and delivery will not occur until any cheque received in payment has been honoured and paid.
- 11** Each lot shall lie at the purchaser's risk from the fall of the hammer and neither the auctioneer nor the Vendor shall be accountable for any deficiency, damage or loss which may arise thereafter. The property in such lot shall not pass until payment in the approved manner as advertised at the auction in full of the purchase price and, where applicable, GST, license fee or government charges.
- 12** No lot shall be removed during the sale without the consent of the auctioneer, but subject to condition 10 hereof, delivery is to be taken and the lot removed by the Purchaser within one (1) full working day of the day of the auction or such other period of time as may be specified by the Auctioneer at the time of sale and, in this respect, time is of the essence. Any removal shall be at the expense and risk of the Purchaser but, in such removal, the Purchaser shall do no damage, or shall forthwith make good any damage, which may be occasioned. Any lot or part thereof which the Purchaser does not remove may thereafter be removed by the Auctioneer or by some person, firm or company engaged by the Auctioneer or the Vendor and/or stored at the place at which the auction took place or elsewhere by the Auctioneer or by some person, firm or company engaged by the Auctioneer. Such removal and/or storage shall be deemed to have been made by the Auctioneer at the request of the Purchaser and all costs incurred by the Auctioneer or the Vendor in relation thereto together with an amount of \$10.00 plus GST per lot per day (inc. weekends) penalty shall be immediately payable by the Purchaser to the Auctioneer and the Auctioneer may sue for and recover the same as liquidated damages.
- 13** In addition to the purchase price, the Purchaser shall pay to the Auctioneer a fee calculated at the rate of up to thirteen and a half per cent (13.5%) of the full purchase price excluding GST State or Federal taxes that may be applicable.

- 14 If the Purchaser shall default in the observance or performance of his obligation under these conditions or any one or more of the then any moneys which the Purchaser shall have paid to the Auctioneer shall be absolutely forfeited and, without notice to the Purchaser, such lot or lots may be re-sold either by public auction or private contract and upon such terms and conditions as either the Auctioneer or the Vendor shall deem fit at the risk and expense of the Purchaser who shall be liable for any deficiency together with all expenses of removal, commission, warehousing and other charges arising out of such default and the Auctioneer or the Vendor shall be entitled to recover same as and for liquidated damages. Without limiting the generality of the foregoing, the Auctioneer shall be entitled to recover from the purchaser -
- a) the amount of any commission upon the purchase which the Purchaser did not complete, the commission being determined by the agreement between the parties;
  - b) such sum for expenses and charges incurred by the Auctioneer in connection with or incidental to the auction and in respect of any such re-sale; and
  - c) where applicable, any GST, value added tax or any other tax relating to or arising from the sale of the property or any part thereof of the Vendor.
- 15 Furthermore, the purchaser shall take or cause to be taken all reasonable and proper steps so far as is reasonably practicable in order to ensure that, the lot or lots purchased shall be safe and without risks to health when properly used.
- 16 In these Conditions the word “Auctioneer” means Hymans Asset Management Pty Limited or any member of the Hymans Group (as determined by the originating office) except that where the context so permits it shall include the persons actually conducting the auction on behalf of Hymans Asset Management Pty Limited.
- 17 In these Terms and Conditions the word “Purchaser” refers to the registered bidder.

## NOTES FOR REGISTERED BIDDERS

The following notes for registered bidders are supplementary to the above noted Terms and Conditions of Sale and are only intended to assist bidders in properly and conveniently affecting their purchases.

### Special Notes -

A buyer’s premium of 13.5% + GST will apply on all lots sold.

The hammer price of all lots is GST exclusive and as such, GST of 10% will be added to the bid price and buyer’s premium. Example:

Bid Price:	\$100.00
Plus Buyer’s Premium:	\$ 13.50
Sub-total:	\$113.50
Plus GST:	\$ 11.35
<b>Invoice Total:</b>	<b>\$124.85</b>

- Site Management -** The site Manager and contact details for this auction is:  
  
Angus McLennan 0405 342 340
- Registration -** Buyers must register prior to bidding via the Hymans Simulcast page at <https://simulcast.hymans.com.au/>.
- Payment Options -** Payment of invoices is required in either Visa, MasterCard, Bankcard or EFTPOS only. ***Please note that a 1.12% surcharge will be applied to all credit card payments.***  
  
**Company and personal cheques will be NOT accepted unless arranged prior to the auction with the auctioneers.**  
  
Direct deposit to the auctioneer's trust account is also available. Account details are as follows:  
  
*Bank:* ANZ  
*Account Name:* Hymans Asset Management – Trust Account  
*BSB:* 012 003  
*Account Number:* 837 774 833
- Company Cheques -** A letter of reference must be obtained **PRIOR TO THE AUCTION** from your bank as a general reference in respect to your credit worthiness. This reference need not be in specific terms but must state that in the normal course of business you have not been known to extend your accommodation. Failing to supply this reference will lead us to insist in payment in one of the other manners mentioned above.
- Insurance -** The bidder is at risk on the fall of the hammer on each lot and is therefore strongly advised to effect insurance immediately. Neither the auctioneer nor the vendor will be held responsible for any loss or damage to any lot after the fall of the hammer and buyers should be aware of the other terms affecting the sale that may preclude them from taking delivery of their lots immediately upon the fall of the hammer.
- Transfer of Title -** Title shall only pass at such time that accounts are fully paid.

**Collection of Lots -** Full payment must be made before any goods will be released.

Removal of goods will occur at the following times:

Tuesday 5<sup>th</sup> October 8.30am to 5.30pm

Wednesday 6<sup>th</sup> October 8.30am to 5.30pm

Thursday 7<sup>th</sup> October 8.30am to 5.30pm

Friday 8<sup>th</sup> October 8.30am to 5.30pm

Monday 11<sup>th</sup> October 8.30am to 5.30pm

Tuesday 12<sup>th</sup> October 8.30am to 5.30pm

Wednesday 13<sup>th</sup> October 8.30am to 5.30pm

Thursday 14<sup>th</sup> October 8.30am to 5.30pm

Friday 15<sup>th</sup> October 8.30am to 5.30pm

Equipment that requires disconnection from water, electricity, gas or other such services is at the expense of the purchaser and disconnection work must be carried out by a **GOLD LICENCE** trade person. The licence must be presented prior to the commencement of works. Disconnection must be completed carefully and left in a neat manner.

All removal work will be inspected to ensure it complies with the above. If we are not satisfied with the removal work we reserve the right to request further work be carried out or undertake rectification work ourselves which will be charged to the Purchaser.

Please note there will be a forklift available for the first 7 days of collection, Tuesday 5<sup>th</sup> October – Wednesday 13<sup>th</sup> October.

Payment will only be accepted from and delivery given to the Purchaser of the lots at the auction sale. Any transfer of lots between buyers can only occur after the lots have been removed from the site by the Purchaser at the auction sale.

**First Right of Refusal -** During the sale, we may offer the highest bidder “first right of refusal” over similar lots. For example, if there are ten identical units, the highest bidder on the first unit may choose to take one or all ten at the initial hammer price. Live simulcast bidders – watch the chat box to find out more. If the highest bidder chooses to take multiple lots, they will be sold to the highest bidder and will not be offered individually.

**Mixed Lots -** Any buyer who purchases a mixed lot, a scrap lot, an “allowance for items”, or “contents”, is responsible for the removal of all items within the scope of that lot. Any remaining items left onsite will be disposed of at the expense of the buyer.

## RISK KEY CODE

Purchasers are required to carefully assess all possible risks associated with the operation of the asset in line with but not limited to, the following schedule of identifiable hazards:

### **Risk Code    Hazard Advice / Action Required**

- 0            No Apparent Hazards**
- Should only be used as per manufacturers specifications
- 1            Manuals & Service History**
- There are no manuals or instructions available
  - There is no service history or maintenance records
- 2            Electrical Items**
- Requires testing prior to use
  - All leads and adaptors should be tested by an accredited tester or electrician for faults and tagged in accordance with AS/NZS 3760 and AS/NZS 3000
  - Power must be isolated during cleaning or servicing
  - Must only be used with an earth leakage circuit breaker
- 3            Safety Apparel**
- Ear protection must be worn during operation; and/or
  - Face protection must be worn during operation; and/or
  - Eye protection must be worn during operation; and/or
  - Hand protection must be worn during operation; and/or
  - Foot protection must be worn during operation; and/or
- 4            Clothing**
- Appropriate clothing must be worn by the operator
  - Loose fitting clothing must not be worn
- 5            Safety Guards**
- Safety guards are fitted which must not be removed as detailed in AS 4024



**Risk Code Hazard Advice / Action Required**

**6 Safety Guards**

- Safety guards are missing
- Should not be operated until safety guards which meet with the manufacturers standards are fitted

**7 Manual Handling**

- Care must be taken when lifting heavy items
- Item containing glass or other fragile components must be carefully transported
- Be careful when removing items attached to walls in case they fall
- Secure all moving and removable parts prior to transporting items

**8 Damaged Items**

- Item is damaged as will be offered for sale as scrap only

**9 Noise**

- Must have the sound pressure level tested prior to commissioning and if over 85db(A) or if the impact noise is greater than 140db(A), then signage warning the users to wear hearing protection must be attached

**10 Fire Fighting Equipment**

- An accredited contractor must inspect and allocate a date tag in accordance with AS 1851-2005 Sect. 15 & 16 (6 monthly) and assess to AS 4655 (annually)
- Fire extinguishers - Clearly visible signs of both the fire extinguisher icon and fire extinguisher type must be installed above the fire extinguisher in accordance with AS 2444
- All fire extinguishers must be mounted not less than 100mm from the ground and not higher than 1200mm for the floor as detailed in AS 2444
- Once installed, all fire extinguishers should made easily accessible and cleared of any obstacles
- Staff must be trained to use fire protection equipment in accordance with AS3745 and OH & S Chapter 4

**11 Paper Shredders**

- The operator must not place hands close to shredding blades

**Risk Code Hazard Advice / Action Required**

**12 First Aid and Safety Equipment**

- All contents to first aid kits / boxes / cabinets must be carefully checked and any expired stock must be disposed
- Once installed, a clearly visible sign of the first aid icon (green cross) must be installed above the first aid station
- All safety apparatus should be tested for relevant compliance prior to use or installation.

**13 Decommission & Removal**

- Requires a licensed tradesman or technician for decommissioning and re-installation

**14 Calibrated Equipment**

- Must be re-calibrated by a certified contractor prior to use

**15 Contaminates**

- Must be carefully checked and cleaned of contaminates from prior use

**16 Equipment Under Pressure**

- Must be certified by an accredited contractor in accordance with AS/NZS 3788 (bi-annually) and once relocated and installed, a certificate of currency must be displayed nearby

**17 Forklifts & Attachments**

- Where applicable, the operator must have a certificate of competency as per WorkCover regulations
- If ride-on, must be fitted with roll over protection
- If to be used on roads or public traffic areas, must be registered (NSW Conditional)
- Only attachments designed to be used with this model of forklift should be used
- The advised safe working load of all lifting attachments must not be exceeded

**18 Pneumatic Tools**

- Must be carefully inspected prior to deployment

**Risk Code    Hazard Advice / Action Required**

**19            Lifting Equipment**

- Must be used only in line with manufacturers specifications
- The advised safe working loads must not be exceeded

**20            Hydraulic Tools**

- Must be carefully inspected prior to deployment

**21            Gas Cylinders**

- Must be adequately secured - by chain and/or with warning signage
- Must have a valid date stamp
- Must not be transported in an enclosed vehicle

**22            Explosives**

- Fastening charges must only be used as detailed in the Dangerous Goods Act 1975

**23            Equipment Used at Heights**

- Must be only be used in accordance with the manufacturers specifications

**24            Dangerous Goods**

- If classified as such under the NSW Dangerous Goods Act, Australian Dangerous Goods Code must be stored in accordance with that Act and Code

**25            Ventilation & Extraction**

- Adequate equipment must be used with this item
- This item must only be used in an area with adequate ventilation

**26            Registration**

- All mobile plant if to be used on roads or public traffic areas, must be appropriately registered
- All mobile plant must be roadworthy in addition to the above i.e. all warning lights and signals must be working

**Risk Code    Hazard Advice / Action Required**

**27            Professional Competency**

- Must only be utilized by a skilled operator

**28            Machinery Space**

- Plant must have adequate work space surrounding it when commissioned to allow for loading and unloading of work pieces and materials and the safe working space for operators

**29            Conveyors**

- Must comply with AS 1755 regarding design, construction, installation and operations

**30            Pipelines & Ducts**

- Signs indicating the contents of pipelines must be installed in accordance with AS 1345

**31            Licensing**

- Only appropriately licensed personnel must operate

LOT	QTY	DESCRIPTION	RISK CODE
1	1	<p>Open-Die Forging Press - Loewy</p> <p>1000 Tonne Capacity with 5000m Hydraulic Sliding Anvil Changer Rail. Berendsen Control Console in 2.5mx2.5m Portable Office. 3 x Elecraulic 5H430/5H430 Pumps with Brook Motors C4050 Motors and 100hp Electric Motor. 1 x Elecraulic 5H430/5H430 Pumps with CMC 75kw Motor</p> <p>1 x 2008 CJC HDU 27/108 MZ-P Oil Filter +34 Assorted Hand Tools</p> <p><b>Air Supply to Sliding Anvil</b> - 1x 4000L (Approx.) Air Receiver Tank - 2x Monarch 1.5kw Motors</p> <p><b>Air Supply to Press</b> - 1x 3150L (Approx.) Hydraulic Oil Tank - 1x CMG 22kw Motor - 1x Motor (Est. 30kw)</p> <p><b>Press Head Attachments</b> 1100mmx600mm Sliding Anvil 1250mm Sliding Anvil &amp; 900mm Block 1500mm Sliding Anvil &amp; Block 1200mm Sliding Anvil 1150 Sliding Anvil &amp; 850mm Block 240mm-280mm Swage Tooling 120mm-160mm Swage Tooling 350mm-360mm Swage Tooling 160mm-200mm Swage Tooling 280mm-320mm Swage Tooling 200mm-240mm Swage Tooling Machine was Imported from England ~35 years ago</p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
2	1	<p>5 Tonne Mobile Forging Manipulator - Wellmen</p> <p>Advised DOM: 1980's Ride On with Steering Control 2005 Monarch 30kw Motor - IP55, Serial # 10156 Clamp and Pincer Attachments Both Included 2 Spare Wheels</p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
3	1	<p>3 Tonne Mobile Forging Manipulator - Wellman</p> <p>Serial #: 23/336 Ride On with Steering Control Tell-Tale Rosaen Filter 65-T-149-M-3-SPEC-S-0B-MAG-12A Mono-Radial - 13504, Serial # 06908 2x New Rear Wheel Replacements en route from Bearcat (Germany), due for delivery in November</p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
4	1	<p>1.25 Tonne Mobile Forging Manipulator - JSW, FC-1MTS</p> <p>Serial #: 85191 DOM: 09/1985 Ride On with Steering Controls Hours: 2493 showing</p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30

LOT	QTY	DESCRIPTION	RISK CODE
5	1	<p>Pitt Furnace and Heat Treatment - Comprising of;</p> <p>1x Heat Treatment Furnace  - 500kg Capacity Chain Hoist - Pacific Hoists  - 3kw Pump - Fasco  - Steel Construction, 900°C Max Temp</p> <p>1x Heat Treatment Furnace  - 500kg Capacity Chain Hoist - Hitachi  - Steel Construction - 900°C Max Temp</p> <p>1x Control Panel with Eurotherm EPC 3016 Digital Reader</p> <p>1x 3.6m Steel Platform</p> <p>1x Oil Quench Tank</p> <p>1x Oil Quench Tank  - Mounted on Steel Frame with Monarch 7.5kw Pump</p> <p>2x Switch Boards to Electric Furnace's 2&amp;3  - w/ Eurotherm Digital Reader</p> <p>1x Heat Exchanger  - 2 Fans  - 2x WEG 3.0kw Motors  - 1x 7.5kw Monarch 6208-2Z Motor</p> <p>Associated Piping</p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
6	1	<p>Electric Temperature Furnace</p> <p>Company ID: T2  Steel Frame Lined with Heat Resistant Foam  1200mmx1200mm  WEG 0.75kw Motor</p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
7	1	<p>Electric Temperature Furnace</p> <p>Company ID: T3  Steel Frame Lined with Heat Resistant Foam  1200mmx1200mm  WEG SLA 100LA-8, 0.75kw 3-Phase Motor</p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
8	1	<p>Electric Temperature Furnace</p> <p>Company ID: T4  Steel Frame Lined with Heat Resistant Foam  1200mmx1200mm  0.75kw WEG Motor</p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
10	1	<p>Pedestal Grinder  350mm Grinding Wheels, Double Ended  3 Phase</p>	2, 3, 4, 5, 7, 13
11	1	<p>Forge Furnace - Hotworks Australia</p> <p>Steel and Brick  4.9m(L)x3.9m(W)2.35m(H)  Control Panel: Wall Mounted with Eurotherm &amp; Temperature Read Out  Burner: D/B3 CB90  Door: D/B3 CB 16  Swinerton Industrial Fans  Monarch 11kw Motor  Notes: The Furnace was Refurbished in 2019  <b>REMOVAL NOTE: Unit is bolted to the warehouse floor, buyer is required to grind all exposed bolts down flush with floor level. Removal must be conducted in accordance with safe working at heights regulations.</b></p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
12	1	<p>Forge Furnace - Hotworks Australia</p> <p>Steel and Brick  4.3m(L)x3.9m(W)2.35m(H)  Control Panel: Wall Mounted with Eurotherm &amp; Temperature Read Out  Burner: D/B3 CB90  Door: D/B3 CB 16  Swinerton Industrial Fans  Monarch 11kw Motor  <b>REMOVAL NOTE: Unit is bolted to the warehouse floor, buyer is required to grind all exposed bolts down flush with floor level. Removal must be conducted in accordance with safe working at heights regulations.</b></p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30

LOT	QTY	DESCRIPTION	RISK CODE
13	1	<p>Forge Furnace - Hotworks Australia</p> <p>Steel and Brick 4.3m(L)x3.9m(W)2.35m(H) Control Panel: Wall Mounted with Eurotherm &amp; Temperature Read Out Burner: D/B3 CB90 Door: D/B3 CB 16 Swinerton Industrial Fans Monarch 11kw Motor</p> <p>REMOVAL NOTE: Unit is bolted to the warehouse floor, buyer is required to grind all exposed bolts down flush with floor level. Removal must be conducted in accordance with safe working at heights regulations.</p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
14	1	<p>Forge Furnace - Furnace Engineering, Melbourne Aust</p> <p>Steel and Brick 4.3m(L)x3.6m(w)2.5m(H) Control Panel: Wall Mounted with Eurotherm &amp; Temperature Read Out Swinerton Industrial Fan 7.5kw Motor, WEG</p> <p>REMOVAL NOTE: Unit is bolted to the warehouse floor, buyer is required to grind all exposed bolts down flush with floor level. Removal must be conducted in accordance with safe working at heights regulations.</p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
15	1	<p>Metal Bandsaw - Amada, HA-700</p> <p>Serial #: 701/00034 DoM: 1987 Blade Length: 7600mm Blade Width: 50mm Blade Thickness: 1.6mm 7.5kw Blade Motor 2.2kw Hydraulic Motor Control Console</p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
16	1	<p>Metal Bandsaw - Amada, H-1000</p> <p>Type #: VG6-110-3ZS Serial #: 290892 Blade Length: 11,000mm Blade Width: 75mm Blade Thickness: 1.6mm 11kw Blade Motor 3.75kw Hydraulic Motor Control Console</p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
17	1	<p>Metal Bandsaw - Amada, HFA-500</p> <p>Type #: SG9-55 Belt #: 53222 Serial #: 073713 Blade Length: 5300mm Blade Width: 4mm Blade Thickness: 1.5mm 3.7kw Hydraulic Motor 1400mm Roller Outfeed Conveyor Control Console</p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
18	1	<p>Milling Machine - Kao Ming Machinery Industrial Co, KMC-3000SD</p> <p>Serial #: 300016 DoM: 09/1991 X-Axis: 3030mm Y-Axis: 1400mm Z-Axis: 700mm 18.6Kw Motor 3200RPM Table Size: 3000mmx1250mm 15-M Control Console - Fanuc Swarf Conveyor</p>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30

LOT	QTY	DESCRIPTION	RISK CODE
19	1	Twin Pallet Vertical Borer - Giddings & Lewis Serial #: 050-663 Control Serial #: 511-1005-93 Control Console Automatic Tool Changer Swarf Conveyor Notes: <b>Not Operational, Parts Only</b>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
20	1	Twin Pallet Vertical Borer - Giddings & Lewis Serial #: 050-656 Serial #: 050-654 Serial #: 511-1002 Fagor Control Console 10 Slot Automatic Tool Changer Swarf Conveyor Notes: The CNC Controller was Refurbished in 2012/3 by High Tech Control Pty Ltd	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
21	1	Centre Lathe - Tuda, Jumbo-A-1000 Machine #: NC 125502 6T Control - Fanuc, Type: A082B-0059-B101 Serial #: 7090256 DoM: 07/1983 770mm Diameter Over Saddle 1280mm Diameter Over Bed 5 Metres Between Centres Control Console Swarf Conveyor - Enomoto, EC 82, Serial # 11217, Dom 1983 Full Instruction Manual Included <b>REMOVAL NOTE: Unit is bolted to the warehouse floor, buyer is required to grind all exposed bolts down flush with floor level. Removal must be conducted in accordance with safe working at heights regulations.</b>	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
22	1	Manual Centre Lathe - Ryazar, 16K40-B Serial #: 549 DOM: 1996 3000mm Between Centres 400mm Diameter Chuck 1000mm Swing 3 Phase Induction Motor - Monarch, AS1359	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
23	1	Manual Centre Lathe - Yamazaki Machinery Works Ltd 4000mm Lathing Bed 550mm Diameter Chuck 1000mm Swing Sony Digital Console - Magnescale LM20	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
24	1	Manual Centre Lathe - Shenyang No.1 Machine Tool Works, CW6280C Serial #: A50800697 DOM: 2008 4000mm Lathing Bed 600mm Diameter Chuck 1000mm swing	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
25	1	Manual Centre Lathe - Nishimori Kogyo Co Ltd Serial #: 692762 5000mm Lathing Bed 800mm Diameter Chuck 1000mm Swing Attached 3 Phase Induction Motor - Yaskawa Electric, FR. #: 1601, Serial #: 1052	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
26	1	Manual Centre Lathe - Russian Make, 1A64 Serial #: 5897 DOM: 1975 2800mm Lathing Bed 800mm Diameter Chuck 1100mm Swing	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30



LOT	QTY	DESCRIPTION	RISK CODE
27	1	Manual Centre Lathe - Nishimori Kogyo Co Ltd Serial #: 692761 6000mm Lathing Bed 800mm Diameter Chuck 1000mm Swing	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
28	1	Manual Vertical Borer - Webster & Bennett, 48" 1200 Diameter Table 5 Tool Changer Sony Digital Reader	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
29	1	Manual Vertical Borer - Webster & Bennett, 48" 1200 Diameter Table 5 Tool Changer 3 Phase Asynchronous Motor - CMG, 869791/828-025	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
30	1	Manual Vertical Borer - Webster & Bennett Serial #: 5491+7 1200 Diameter Table 5 Tool Changer	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
31	1	Manual Vertical Borer - Webster & Bennett 1200 Diameter Table Has Been Removed 5 Tool Changer	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
32	1	Manual Vertical Borer - Stanko, 1516 1516 Diameter Serial #: 1524 DOM: 1984 1400 Diameter Table 5 Tool Changer Console	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
33	1	Manual Vertical Borer - Webster & Bennett, 36" 900mm Diameter Table 5 Tool Changer	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
34	1	Manual Vertical Borer - Webster & Bennett, 36" 900mm Diameter table 5 Tool Changer Fasco Motor	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
35	1	Packaged Air Compressor - Kaeser, ASK28T Serial #: 1078-7124692 DOM: 07/2019 Hours: 846 Indicated 15kw, 11Bar Pressure, 36 Amp, 3 Phase Next Service Due: 1/9/21 2006 Pearson Cont Pty Ltd Receiver, 1000ltr Approx Capacity. In Excellent Condition.	2, 5, 7, 9, 13, 16, 18, 30
36	1	Belt Conveyor 19m Approximate Length Three Phase Motor - Invertek, IMPA 90S-4, 2621902	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
37	1	Drop Bottom Bin - East West Engineering, J6338 S/N: 52044 1000kg Capacity	7
38	1	Drop Bottom Bin - East West Engineering, J6338 Serial #: 56338 1000kg Capacity	7

LOT	QTY	DESCRIPTION	RISK CODE
39	1	Drop Bottom Bin - East West Engineering, J6338 Serial #: 53050C 1000kg Capacity	7
40	1	Drop Bottom Bin - East West Engineering, J6338 Serial #: 53050B 1000kg Capacity Full of Swarf	7
41	1	Swivel Crane - Hasemer, C3/M3 Serial #: 08099 2 Tonne Capacity Electric Hoist - GIS <b>REMOVAL NOTE: Unit is bolted to the warehouse floor, buyer is required to grind all exposed bolts down flush with floor level. Removal must be conducted in accordance with safe working at heights regulations.</b>	2, 7, 13, 17, 19, 23
42	1	Compressor - Consolidated Pneumatic Australia, 555 Serial #: M1932 DoM: 1944 Pulford Tank Cylinders: 5.5" Stroke: 5" Working Pressure: 100lbs BHP: 20 RPM: 725	2, 5, 7, 9, 13, 16, 18, 30
43	1	Swivel Crane With 500kg Capacity Chain Hoist - Pacific Hoists	2, 7, 13, 17, 19, 23
43A	1	Industrial Weight Scale - Rite Weigh AJIK-8CSB Digital Read Out - Assume 2 Tonne Capacity	1, 2, 3, 4, 5, 7, 9, 13, 14, 18, 20, 25, 27, 28, 29, 30
43B	1	Brick Saw	1, 2, 3, 4, 7, 9, 27
43C	2	Lifting Magnets 2000kg Capacity	7
43D	1	Assorted Chuck Spindles and Tools Including: 1x 315mm Diameter Chuck 2x 380mm Diameter Chuck 1x 305mm Diameter Chuck 1x 400mm Diameter Chuck 1x 630mm Diameter Chuck 1x 555mm Diameter Chuck 1x 800mm Diameter Chuck	7
43E	1	Assorted Lubricants 1x Unopened Barrel of Hydraulic 68 Oil 1x Unopened Jug of Hydraulic 68 Oil 2x Unopened Opal Hi-Load Lithum Complex Grease	7, 24

LOT	QTY	DESCRIPTION	RISK CODE
44	1	<p>Fork Lift Truck - Linde, H80</p> <p>DOM: 2006 Ride-On Fuel Type: Diesel Hours: 13,155.7 (subject to change) 8 Tonne Capacity Max Lift Height: 5250mm Forward Tilt: 6 Degrees Back Tilt: 6 Degrees Solid Tyres Colour: Red Tyre Size: Twin 8.25-15 SE With Fork Positioner - 176K-ISP-1828835 Serial #: E1X353T00866</p> <p><b>REMOVAL NOTE: Successful buyer of forklift must not collect any earlier than Thursday 14th October.</b></p>	1, 2, 4, 5, 7, 17, 19, 20, 21, 23, 25, 26, 27, 28, 31
45	1	<p>Fork Lift - Linde, H25T</p> <p>DOM: 2007 Ride-On Fuel Type: LPG Gas Hours: 5740.5 (subject to change) 2500kg Capacity Max Lift Height: 4550mm Forward Tilt: 5 Degrees Back Tilt: 8.5 Degrees Solid Tyres Colour: Red Tyre Size: 23x9-10 SE With Integral Sideshift Serial #: H2X392U04016</p> <p><b>REMOVAL NOTE: Successful buyer of forklift must not collect any earlier than Thursday 14th October.</b></p>	1, 2, 4, 5, 7, 17, 19, 20, 21, 23, 25, 26, 27, 28, 31
46	1	<p>Ride on Sweeper - American Lincoln, 578-61-2</p> <p>DOM: 25/5/00 Hours: 169341 Serial #: 480815 Colour: Blue Engine: Diesel Serial #: 480815 Notes: The key has been recently replaced with a switch start</p>	1, 2, 4, 5, 7, 17, 19, 20, 21, 23, 25, 26, 27, 28, 31
46A	1	<p>8 x 4 Trailer</p> <p>Model: 7X4 YoM: 2019 VIN: 6AYB0XTRLGY000492 Registration: TG61QU</p>	7, 26, 27, 31
47	1	<p>Mig Welder - Uni-Mig, KT 50/425</p> <p>KTSO Unit Attached to a 425S Unit Max Power Input: 75VA Welding Current Max: 400A Wire Size: 0.6-1.4mm Machine #: 449 Serial #: 05030320</p>	2, 3, 7, 25
48	1	<p>Stick Welder - Lincoln Electric Company, Idealarc R3R-400</p> <p>3 Phase, 30 Amps, 415V Code #: 1160 Serial #: 196500</p>	2, 3, 7, 25
49	1	<p>Mig Welder - BOC, Smootharc Advance, MIG275R</p> <p>Excludes Gas Cylinder</p>	2, 3, 7, 25

LOT	QTY	DESCRIPTION	RISK CODE
49A	1	Stick Welder - Cigweld Transarc 400	2, 3, 7, 25
50	12	Undercarriage Load Rollers for RH170 Appropriate for Terrex/O&G Excavators & Shovels - RH170 Solid, Forged to Profile Alloy Steel Roller Body Roller Body Forged to Profile and Spin, Single Piece Design Proven to Outlast the OEM. 108cm Length x 20cm Diameter	7
51	34	Under Carriage Load Roller Ductile Iron End Caps Can be used in construction or repair of Load Rollers	7
52	1	Pallet of Load Roller Bronze Bushes (approx 20 pieces) Can be used in construction or repair of Load Rollers	7
53	1	3 Phase Motor - SEW-Eurodrive, IEC60034-1 4Kw, RPM: 1460 Ty: DRE132S4BE5/F6 Never Used	2, 3, 4, 5, 7, 13
54	1	3 Phase Motor - SEW-Eurodrive, IEC60034-1 4Kw, RPM: 1460 Ty: DRE132S4BE5/F6 Never Used	2, 3, 4, 5, 7, 13
55	1	Portable Electro Magnetic Drill Stand - Craftmaster, C-400 DoM: 1990 240V Capacity: 2-32mm Serial #: 0050	2, 3, 4, 5, 7, 13
56	1	Hardness Tester - King Tester Corp.	7
57	1	Manuel Drill Press - J.S. Richardson &CO Serial #: 7491	7
57A	1	Air Arc Gouger - General Electric Steel	2, 5, 7, 9, 13, 16, 18, 30
57B	1	Tools Trolley - Senator 7-Drawer Steel, Blue Colour Includes Assorted Tools and Equipment in Drawers	7
57C	1	Shelved Workshop Tool Trolley Includes Assorted Handtools and Equipment Red Colour	7
57D	1	Tools Trolley - Supatool 5-Drawer Steel, Black Colour Includes Assorted Tools and Equipment in Drawers	7
58	1	Socket Set - Auzgrip 26 pieces	7
59	1	Calibration Equipment - Mitutoyo .001"	7
60	1	Calibration Equipment 50mm and 100mm Marked	7

LOT	QTY	DESCRIPTION	RISK CODE
61	1	Digital Caliper, JVS 0-300mm, As New	7
62	1	Calibration Equipment	7
63	1	Outside Micrometer 800-900mm - As New	7
64	1	Digital Caliper - Mitutoyo 0-1000mm	7
65	1	Electronic Digital Caliper - MX, 31-189 0-1500mm, As New	7
66	1	Outside Micrometer 900-1000mm, As New	7
67	1	Outside Micrometer 1000-1200mm, As New	7
68	1	Outside Micrometer - Brand Not Shown 700-800mm, As New	7
69	1	Outside Micrometer - Brand Not Shown 500-600mm, As New	7
70	1	Outside Micrometer - Measumax 300-400mm	7
71	1	Threading Tools 7 pieces, 1 with Case and Parts	7
72	1	Outside Micrometer - Measumax 400-500mm	7
73	1	Assorted Tooling  Including - 1x Set 1 1/8 BSF High-Speed Ground Thread Taps - 1x Taper, 1x Intermediate 1x Bottoming - 1x Set 9/16 BSF High-Speed Ground Thread Taps - 1x Taper, 1x Intermediate 1x Bottoming - 1x High Speed Stell Ground Thread Taps - Apex UK, 1"BSF BOTTG - 1x 1/2"18 SSF Plug - Hall, Straight Flute - 1x 5/8"x14 BSF Plug - Hall - 1x G1/2"-14 BSP BF BOT, ISO 2284, C0320 - FEW Cutting Tools - Twin Oxy-Acet Hose - BOC, 5mm/20m, DoM 07/09, still in packaging - Bag 5/8+2 Black Bolts - Hole drill - 26mm Diameter, Silver	7
74	1	Socket Wrench Set - Sidchrome 27 Heads, 4 Handles, 2 Connectors In Red Case	7
75	1	Impact Socket Set - J.B.S 9 Pieces In Red Case	7
76	1	Impact Socket Set - 9 Pieces In Red Steel Case	7
77	1	Socket Set - Supatool 43 Piece, In Red Case	7

LOT	QTY	DESCRIPTION	RISK CODE
78	1	Imperial Jumbo Spanner Set - Pittsburgh, Drop Forged 9 Pieces	7
79	1	Euro Style Metric Combination Wrench Set -T&E Tools, No.71026 26 Piece In Red Cloth Wrap	7
80	1	Biometric Timeclock- Schlage, HandPunch 1000-E Keys Included	2, 7
81	1	Splint Pin Assortment - Champion, Masterkit, Assortment #CA2540 Range of Sizes, Red Metal Case	7
82	1	Bolt & Nut Assortment - Champion, Masterkit, Assortment #CA365 Range of Sizes, Red Metal Case	7
83	1	Bolt & Nut Assortment - Champion, Masterkit, Assortment #CA431 Range of Sizes, Red Metal Case	7
84	1	Set Screws & Nuts Metric Assortment - Champion, Assortments, #CA196 Range of Sizes, Red Plastic Case	7
85	1	Grease Nipple Assortment - Champion, Assortments, #CA108 Range of Sizes, Red Plastic Case	7
86	1	Various Tooling - CABAC Blue Plastic Case	7
87	1	Imperial V3 Drill Set - Sutton Tools, Viper 1/16-1/2x1/64th Rises, High Speed Steel 29 Piece	7
88	1	Air Reversible Drill - Chicago, CAD38 Chuck Size: 3/8" 2,200rpm ID: 17W39	7, 18
89	1	Cordless Power Drill - Bosch, PSR 10,8 LI-2 1 Battery Included Comes with Green Plastic Case	2, 7
90	1	Cordless Power Drill - Milwaukee, M18 BPD 18V, 13mm 1 Battery & Charger Included Red & Black Plastic Case	2, 7
91	1	Corded Impact Wrench - Hitachi, WR 22SA 240V, 22mm Serial #: 680095 Includes 5 Impact Sockets Come with Green Plastic Case	2, 7
92	1	Various Tooling - In Green Steel Case	7
93	1	Large Spanner Set - Chrome Vanadium 15 Pieces	7

LOT	QTY	DESCRIPTION	RISK CODE
94	1	Mixed Tooling & Accessories Including -1x Box of Cup Head Bolts - Bremick Fasteners -1x Box of Class 4.6 Hex Bolts&Nuts - Bremick Fasteners -1x Box Ball Bearing - KSM, marked Boring 19/c No 1+seals -1x Box NTN Bearing -1x Box Tapered Roller Bearing - Timken -1x Box Ball&Roller Bearings - Koyo, marked Boring M/C -1x Box Blind Rivets -3x Bow Shackles -1x Drill Battery Charger -Assorted Boxes of Bearings -1x Box of Large Metric Circlips, Handy Pak 05L -1x O Ring Service Kits - Consolidated Bearing Company -Hand Rivet Gun -Assorted Drill bits and screw sets -Assorted Grease Nipples -Box Assorted Nuts -Roller Chain - Fenner -2x Pack Blink Rivets	7
95	1	Parts Washer -TTI	2, 7
95A	1	Cement Mixer - C&G	7
95B	1	Furnace Blower and Control Unit	7, 13, 2, 27
95C	1	Hydraulic Control Unit	2, 7, 13, 20
95D	1	Pallet Jack - J.B.S. 2500kg Capacity	7, 19, 20
96	1	Straight Grinder - Bosch, GGS 6S	2, 7
97	1	Grey Steel Cabinet and Welding Equipment Including: - Welding Helmet - Assorted Wire - Assorted Welding Rods - Assorted Torch Parts and Supplies	7
98	1	Assorted Tool Bits Includes: -Drill Bits -Threading Tools	7
99	1	Pneumatic Grease Gun Includes 20kg Bucket - Molybond Opal Pin & Bush Grease	7, 18
100	1	Halogen Worklight with Tripod Stand - Arlec, HL21	2, 7
101	1	Submersible Stormwater & Sewage Pump - Sabre, BAV-560S Includes Hose	2, 7
102	1	Roll of High Voltage Cable - Conductix-Wampfler Still in Original Shipping Packaging	7
103	1	Roll of Cable	7
103A	1	Barrel Fan	7

LOT	QTY	DESCRIPTION	RISK CODE
103B	1	Cyklop Pallet Strapper	7
103C	1	Cyklop Pallet Strapper	7
104	1	Ladder - Kennett Ladder Co, CS/4 Load Rating 150kg 3.7m Length	7, 23
105	1	Ladder 3.7m Length	7, 23
106	1	Ladder 3.7m Length	7, 23
107	1	Hook Topped Ladder 3.7m Length	7, 23
108	1	Three Step Ladder - Industrial Tradesperson Load Rating 120kg	7, 23
109	1	Wheelbarrow - JBS	7
109A	1	Assorted Metal Cutting & Tooling Parts	7
109B	3	Hydraulic Filter Cartridges Make: Filtrec Part Number: A-1-21-C25	20
110	1	Aluminium Extension Ladder	7, 23
111	1	Assortment of Automotive Belts	7
112	7	Bandsaw Blades Including: 8800x67x1.6x0.7/1.0SGLB 5300x41x1.3x2/3 SGLB	7
113	1	Steel Pallet Racking - 4x4 Bays 2580Wmmx850mmDx1190H in Individual Size Total Unit Consisting of 10 Uprights (Approx 4m Height), 32 Crossbeams (Approx 1.5m Length)	7, 19, 23,
114	1	Steel Pallet Racking - 3x4 Bays 3590mmWx830mmDx1195mmH in Individual Size Total Unit Consisting of 8 Uprights (Approx 4m Height), 24 Crossbeams (Approx 1.5m Length)	7, 19, 23,
115	1	Small Standing Fridge - Westinghouse 540mmD x 550mmW x 1455H No Freezer Unit	2, 7
116	1	Stainless Steel Fridge/Freezer - Maytag 630mmD x 730mmW x 1650mmH	2, 7
117	1	Black & White Multi Function Printer - Xerox, DocuCentre-IV 3060 Print Speed: 30 ppm	2, 7
118	2	Eye Mercury Lamp Globes Make: Eye Model: HF 400PD	20